

Ammonia No.2 Photometer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation Ammonia No.2 Photometer

Chemical name

Product-type Mixture

Product code TbsPAM2

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Reagent for water analysis

Uses advised against - Other

1.3 - Details of the supplier of the safety data sheet

Water-I.D. GmbH

Daimlerstr. 20

76344 Eggenstein Germany

Telephone : +49 (0) 721 - 78 20 29 - 0 Fax +49 (0) 721 - 78 20 29 - 11

Website www.water-id.com

EHS / Compliance: lab@water-id.com

1.4 - Emergency telephone number

- Poison Control Center Munich

Tel: +49 (0) 89 / 19 24 0

Germany

24 hour service

Languages: German, English

please also call from: United Kingdom

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Corr. 1B	Skin corrosion, Category 1B
Eye Dam. 1	Serious eye damage, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: Lithium hydroxide monohydrate (CAS No.: 1310-66-3)

Signal word : Danger

Hazard pictograms



Hazard statements

H314	Causes severe skin burns and eye damage
------	---

Ammonia No.2 Photometer

H412	Harmful to aquatic life with long lasting effects
Precautionary statements	
P260	Do not breathe dust.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER, a doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
EUH-phrases	: None

2.3 - Other hazards

PBT-substance. - No information available.

vPvB-substance. - No information available.

Other hazards which do not result in classification - No information available.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class	Spec. concentrations
Lithium hydroxide monohydrate	CAS No. : 1310-66-3 Index No. : EC No. : 215-183-4	10 - 20	Acute Tox. 4 Oral - H302 Skin Corr. 1B - H314	Not applicable
troclosene sodium, dihydrate	CAS No. : 51580-86-0 Index No. : 613-030-01-7 EC No. : 220-767-7 REACH No. : 01-2119489371-33-XXXX	1 - 5	Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Eye Irrit. 2 - H319 STOT SE 3 (H335) - H335	STOT SE 3 (H335) - H335 : 10>=%<0

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation - Provide fresh air.
- When in doubt or if symptoms are observed, get medical advice.

Following skin contact - After contact with skin, wash immediately with plenty of water and soap.
- Remove contaminated, saturated clothing immediately.
- In case of skin reactions, consult a physician.

Ammonia No.2 Photometer

After eye contact - In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion - If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - No information available.

Symptoms and effects - Following skin contact - No information available.

Symptoms and effects - After eye contact - Serious eye damage/eye irritation

Symptoms and effects - After ingestion - No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO₂)
- Foam
- Extinguishing powder

Unsuitable extinguishing media - Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - No information available.

Hazardous decomposition products

- Chlorine (Cl₂)
- Hydrogen chloride (HCl)
- Carbon dioxide (CO₂)
- Carbon monoxide
- Hydrogen cyanide (hydrocyanic acid)
- Nitrogen oxides (NO_x)

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel - Use personal protection equipment.

For emergency responders - No information available.

6.2 - Environmental precautions

- Do not allow to enter into surface water or drains.

Ammonia No.2 Photometer

6.3 - Methods and material for containment and cleaning up

Methods and material for containment

- Soak up inert absorbent and dispose as waste requiring special attention.

Methods and material for cleaning up

- Take up mechanically, placing in appropriate containers for disposal.
- Avoid dust formation.
- Clear contaminated areas thoroughly.

Inappropriate techniques

- No information available.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation

- Avoid: Eye contact
- Avoid: Generation/formation of dust
- It is recommended to design all work processes always so that the following is excluded: Eye contact
- It is recommended to design all work processes always so that the following is excluded: Skin contact
- It is recommended to design all work processes always so that the following is excluded: Inhalation of dust/particles

Advices on general occupational hygiene

- No information available.

7.2 - Conditions for safe storage, including any incompatibilities

- Store in a place accessible by authorized persons only.
- Keep away from: Food and feedingstuffs
- Only use containers specifically approved for the substance/product.

7.3 - Specific end use(s)

- Reagent for water analysis

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

8.2 - Exposure controls

Appropriate engineering controls

- No information available.

Individual protection measures, such as personal protective equipment

- Suitable protective clothing: lab coat



Ammonia No.2 Photometer

- Suitable protective clothing: Protective apron



- Suitable eye protection: Face protection umbrella



- Suitable eye protection: Eye glasses with side protection



- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.



- Suitable material: NBR (Nitrile rubber)

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Solid	<u>Appearance</u>	Tablets
<u>Colour</u>	White	<u>Odour</u>	
Odour threshold		No data available	
pH		12,5 10,5 g/l	
Melting point		No data available	
Freezing point		No data available	
Boiling point		No data available	
Flash point		No data available	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		No data available	
Upper explosion limit		No data available	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		No data available	
Density		No data available	
Solubility (Water)		very soluble	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	
Solubility (Organic solvents)		No data available	

Ammonia No.2 Photometer

Log KOC	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- No information available.

10.5 - Incompatible materials

- Acids

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 - Information on toxicological effects

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Toxicity : Substances

Ammonia No.2 Photometer

troclosene sodium, dihydrate (51580-86-0)	
LD50 oral (rat)	1671 mg/kg < V < 2094 mg/kg ECHA
Lithium hydroxide monohydrate (1310-66-3)	
LD50 oral (rat)	368 mg/kg
LC50 inhalation dusts and mists (rat)	> 6,15 mg/l 4h (OECD Guideline 403)

<u>Skin corrosion/irritation</u>	- Skin corrosion, Category 1B - Causes severe skin burns and eye damage - Corrosive.
<u>Serious eye damage/eye irritation</u>	- Serious eye damage, Category 1 - Risk of serious damage to eyes. - Causes serious eye irritation. - Corrosive.
<u>Respiratory or skin sensitisation</u>	- Not classified
<u>Germ cell mutagenicity</u>	- Not classified
<u>Carcinogenicity</u>	- Not classified
<u>Reproductive toxicity</u>	- Not classified
<u>STOT-single exposure</u>	- Not classified
<u>STOT-repeated exposure</u>	- Not classified
<u>Aspiration hazard</u>	- Not classified

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity : Substances

troclosene sodium, dihydrate (51580-86-0)	
EC50 48 hr crustacea	0,17 mg/l ECHA
ErC50 algae	100 mg/l ECHA (72h)

Ammonia No.2 Photometer

NOEC chronic crustacea	160 mg/l ECHA 21d
NOEC chronic algae	0,5 mg/l ECHA (3h)
Lithium hydroxide monohydrate (1310-66-3)	
EC50 48 hr crustacea	33,5 mg/l Daphnia magna (OECD Guideline 202)
LC50 96 hr fish	109 mg/l Danio rerio (OECD Guideline 203)
ErC50 algae	41,62 mg/l Pseudokirchneriella subcapitata

- Harmful to aquatic life with long lasting effects.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- No information available.

- No information available.

12.6 - Other adverse effects

- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

<u>Waste treatment methods</u>	- Dispose of waste according to applicable legislation.
<u>Sewage disposal</u>	- Do not empty into drains.
<u>Special precautions for waste treatment</u>	- Waste for disposal is to be classified and labelled. - Do not mix with other wastes.

Ammonia No.2 Photometer

- Consult the appropriate local waste disposal expert about waste disposal.

Community or national or regional provisions - Dispose according to legislation.

SECTION 14: Transport information

14.1 - UN number

<u>UN number (ADR)</u>	:	UN2680
<u>UN number (RID)</u>	:	UN2680
<u>UN number (ADN)</u>	:	UN2680
<u>UN number (IMDG)</u>	:	UN2680
<u>UN number (IATA)</u>	:	UN2680

14.2 - UN proper shipping name

<u>UN proper shipping name (ADR)</u>	:	LITHIUM HYDROXIDE
<u>UN proper shipping name (RID)</u>	:	LITHIUM HYDROXIDE
<u>UN proper shipping name (ADN)</u>	:	LITHIUM HYDROXIDE
<u>UN proper shipping name (IMDG)</u>	:	LITHIUM HYDROXIDE
<u>UN proper shipping name (IATA)</u>	:	LITHIUM HYDROXIDE

14.3 - Transport hazard class(es)

Ammonia No.2 Photometer

ADR Transport hazard class(es) : 8
ADR Classification code: : C6
Pictograms



Transport hazard class(es) (RID) : 8
Pictograms



Transport hazard class(es) (ADN) : 8
Pictograms



Transport hazard class(es) (IMDG) : 8
Pictograms



Transport hazard class(es) (IATA) : 8
Pictograms



14.4 - Packing group

Packing group : II
Packing group (RID) : II
Packing group (ADN) : II
Packing group (IMDG) : II
Packing group (IATA) : II

14.5 - Environmental hazards

Environmental hazards : No
Marine pollutant : No

14.6 - Special precautions for user

Ammonia No.2 Photometer

ADR

<u>ADR Classification code:</u>	:	C6
<u>ADR Special provisions</u>	:	
<u>ADR Limited quantity (LQ)</u>	:	1 kg
<u>ADR Excepted quantities</u>	:	E2
<u>ADR Packing instructions</u>	:	P002 IBC08
<u>ADR Special packing provisions</u>	:	B4
<u>ADR Mixed packing provisions</u>	:	MP10
<u>Instructions for portable tanks and bulk containers</u>	:	T3
<u>Special provisions for portable tanks and bulk containers</u>	:	TP33
<u>ADR tank code</u>	:	SGAN
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	AT
<u>ADR Transport category</u>	:	2
<u>ADR Tunnel restriction code</u>	:	E
<u>ADR Special provisions loading, unloading and handling</u>	:	
<u>Special provisions - Packages</u>	:	V11
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	
<u>ADR Hazard identification number (Kemler No.)</u>	:	80

RID

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

ADN

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

IMDG

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	
<u>Packing instructions</u>	:	
<u>Special packing provisions</u>	:	
<u>IBC instruction(s)</u>	:	
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>EmS codes</u>	:	
<u>Stowage and handling</u>	:	
<u>Segregation</u>	:	
<u>Properties and observations</u>	:	

Ammonia No.2 Photometer

IATA

<u>PCA - Excepted quantities</u>	:
<u>PCA - Limited Quantity - Packing Instructions</u>	:
<u>PCA - Limited Quantity - Maximum Net Quantity per Package</u>	:
<u>PCA - Packing Instructions</u>	:
<u>PCA - Maximum Net Quantity per Package</u>	:
<u>CAO - Packing Instructions</u>	:
<u>CAO - Maximum Net Quantity per Package</u>	:
<u>Special Provisions</u>	:
<u>ERG Code</u>	:

14.7 - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Substances REACH candidates</u>	None
<u>Substances Annex XIV</u>	None
<u>Substances Annex XVII</u>	None
<u>VOC content</u>	No data available

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

Version	Issue date	Description of the amendments
1	08.01.2019	MSDS creation

Abbreviations and acronyms - See overview table at www.euphrac.eu

Texts of the regulatory sentences

Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Aquatic Chronic 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation - Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Ammonia No.2 Photometer

Skin Corr. 1B	Skin corrosion, Category 1B
STOT SE 3 (H335)	STOT-single exposure - Category 3 (H335)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*** **