

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.  
Product code : 11306--25-----N  
Substance name : Filters of Nitrocellulose, dangerous goods  
CAS-No. : 9004-70-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.3 Details of the supplier of the safety data sheet

Company : Sartorius Lab Instruments GmbH & Co.KG  
Otto-Brenner-Straße 20  
37079 Göttingen  
E-mail address of person responsible for the SDS : Department CA-FM Environment@sartorius.com

#### 1.4 Emergency telephone number

UK/Europe/Global: +44.1865.407.333 (Sartorius 29003)  
United States: +1.866.928.0789 (Toll free), (Sartorius 29003)  
Canada: +1.800.579.7421 (Toll free), (Sartorius 29003)  
United States & Canada (geographic): +1.202.464.2554 (Sartorius 29003)  
Asia-Pacific/East & South East Asia (without China): +65.3158.1074 (Sartorius 29003)  
Japan: +81.3.4578.9341 (Sartorius 29003)  
Indonesia: 007.803.011.0293 (Toll free Indonesia), (Sartorius 29003)  
Malaysia: +60.3.6207.4347 (Sartorius 29003)  
Thailand: 001.800.120.666.751 (Toll free Thailand), (Sartorius 29003)  
India: 000.800.100.7479 (Toll free India) or +65.3158.1198 (Sartorius 29003)  
South Korea: +82.2.3479.8401 (Sartorius 29003)  
Australia: +61.2.8014.4558 (Sartorius 29003)  
New Zealand: +64.9.929.1483 (Sartorius 29003)  
Middle East/Africa: +44.1235.239671 (Sartorius 29003)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Flammable solids, Category 1

**Classification (67/548/EEC, 1999/45/EC)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# SARTORIUS

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version 1.7      Revision Date: 16.12.2020      SDS Number: SAG-RG000002      Date of last issue: 30.03.2020  
Date of first issue: 23.05.2016

Highly flammable

R11: Highly flammable.

### 2.2 Label elements

#### Labelling REGULATION (EC) No 1272/2008

Hazard pictograms :



Signal word : Danger

Hazard statements : H228 Flammable solid.

Precautionary statements : **Prevention:**  
P230 Keep wetted with water.  
P243 Take precautionary measures against static discharge.  
P234 Keep only in original container.  
P233 Keep container tightly closed.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
**Response:**  
P372 Explosion risk in case of fire.  
P375 Fight fire remotely due to the risk of explosion.  
P370 + P380 In case of fire: Evacuate area.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : The article contains 15 % cellulose nitrate with nitrogen <=12.6 %.  
cellulose ester of potassium nitrate.  
Mixture

#### Hazardous components

CAS-No. EC-No. Registration number	Chemical name	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

7727-37-9	Nitrogen in nitrocellulose	F; R11	4.1.1 1; H228	<= 12,6
-----------	----------------------------	--------	---------------	---------

For explanation of abbreviations see section 16.

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : The formation of nitrous gases is possible (brown-yellow vapour) in case of fire or self-decomposition.  
In case of feeling indisposed get medical advice.  
Show this safety data sheet to the doctor in attendance.

If inhaled : Persons, who have inhaled nitrous gases should lay down and keep quiet.  
If symptoms persist, call a physician.  
The symptoms of poisonous nitrous gas can appear several hours later.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing media : Dry powder  
Foam  
Carbon dioxide (CO<sub>2</sub>)

#### 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

Further information : In case of fire nitrose gases could be produced and high flames can occur.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.2 Environmental precautions

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Add lots of water and remove. Avoid sources of ignition, shock and friction. Do not smoke.

#### 6.4 Reference to other sections

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Read the note of the German workers compensation organisation of the Chemical Industry to handle nitrocellulose (Germany).  
Use old material first.  
Obey the expiration date.

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.  
Keep away from sources of ignition - No smoking. Avoid shock and friction. Keep away from direct sunlight.

Hygiene measures : Do not smoke. When using do not eat or drink.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep away from sources of ignition - No smoking. Do not store without interleaved paper. Do not store with acids, caustic substances, amines, oxidants or fire accelerating substances.  
Store in original packaging. Store at constant temperature between 15 - 25°C and at max. 70% relative humidity.

Storage class (TRGS 510) : 4.1A, Flammable solids

#### 7.3 Specific end use(s)

---

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

##### Personal protective equipment

Eye protection : Goggles  
Hand protection

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

Remarks	: Protective gloves
Skin and body protection	: Lab coat
	Long sleeved clothing
Protective measures	: No special protective equipment required.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: Solid form
Odour	: odourless
Solubility(ies)	
Water solubility	: insoluble
Auto-ignition temperature	: ca. 185 °C

### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

### 10.2 Chemical stability

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

### 10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
	Amines
	Strong acids and strong bases

### 10.6 Hazardous decomposition products

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Further information

#### **Product:**

Remarks: Health injuries are not known or expected under normal use.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Not relevant

#### 12.6 Other adverse effects

##### Product:

Additional ecological information : Remarks: This product has no known ecotoxicological effects.

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : Moisten used filter material with water (50 %) and store it in tightly closed containers until the final waste disposal. In accordance with local and national regulations.

---

### SECTION 14: Transport information

#### 14.1 UN number

ADR : UN 3270

IMDG : UN 3270

IATA : UN 3270

#### 14.2 UN proper shipping name

ADR : NITROCELLULOSE MEMBRANE FILTERS

IMDG : NITROCELLULOSE MEMBRANE FILTERS

IATA : Nitrocellulose membrane filters

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

### 14.3 Transport hazard class(es)

<b>ADR</b>	: 4.1
<b>IMDG</b>	: 4.1
<b>IATA</b>	: 4.1

### 14.4 Packing group

<b>ADR</b>	
Packing group	: II
Classification Code	: F1
Labels	: 4.1

<b>IMDG</b>	
Packing group	: II
Labels	: 4.1

<b>IATA</b>	
Packing group	: II
Labels	: 4.1

### 14.5 Environmental hazards

<b>ADR</b>	
Environmentally hazardous	: no

<b>IMDG</b>	
Marine pollutant	: no

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany)	: nwg	not water endangering
	Remarks:	(own classification)

### 15.2 Chemical safety assessment

---

## SECTION 16: Other information

### Full text of R-Phrases

R11	: Highly flammable.
-----	---------------------

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SARTORIUS

---

## CN membrane\_ 0.45 µm\_ 25 mm, 100 pcs.

Version	Revision Date:	SDS Number:	Date of last issue: 30.03.2020
1.7	16.12.2020	SAG-RG000002	Date of first issue: 23.05.2016

---

### Full text of H-Statements

H228 : Flammable solid.

### Full text of other abbreviations

4.1.1 : Flammable Solids

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN