

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26980-49 StablCal Formazin Turbidity Standard, 0,50 NTU

Revision date: 27.05.2020

Product code: 2698049

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

26980-49 StablCal Formazin Turbidity Standard, 0,50 NTU

UFI: QRGH-08PY-G305-N4N8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

### 1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

methenamine; hexamethylenetetramine

Signal word: Danger

Pictograms:



#### Hazard statements

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**26980-49 StablCal Formazin Turbidity Standard, 0,50 NTU**

Revision date: 27.05.2020

Product code: 2698049

Page 2 of 8

H317 May cause an allergic skin reaction.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

**Additional advice on labelling**

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>90 %
	231-791-2			
100-97-0	methenamine; hexamethylenetetramine			5 - 10%
	202-905-8	612-101-00-2		
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Take off all contaminated clothing immediately.

**After inhalation**

Move to fresh air.

**After contact with skin**

Wash off immediately with plenty of water.

**After contact with eyes**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**After ingestion**

Induce vomiting, but only if victim is fully conscious.

**4.2. Most important symptoms and effects, both acute and delayed**

Allergic reactions

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26980-49 StablCal Formazin Turbidity Standard, 0,50 NTU

Revision date: 27.05.2020

Product code: 2698049

Page 3 of 8

#### 5.1. Extinguishing media

##### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 6.4. Reference to other sections

13. Disposal considerations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### **Advice on safe handling**

Use only in well-ventilated areas.

##### **Advice on protection against fire and explosion**

See also section 5

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Keep in a dry, cool place.

##### **Hints on joint storage**

None known.

#### 7.3. Specific end use(s)

Reagent for analysis

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### **Additional advice on limit values**

None known.

#### 8.2. Exposure controls

##### **Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

##### **Protective and hygiene measures**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26980-49 StablCal Formazin Turbidity Standard, 0,50 NTU

Revision date: 27.05.2020

Product code: 2698049

Page 4 of 8

Wash hands before breaks and after work.

**Eye/face protection**

Safety glasses with side-shields

**Hand protection**

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: &gt;480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: &gt; 30 min

**Skin protection**

Remove and wash contaminated clothing before re-use.

**Respiratory protection**

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	8,49

**Changes in the physical state**

Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

**Flammability**

Solid:	not applicable
Gas:	not applicable

**Explosive properties**

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

**Auto-ignition temperature**

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	no data available
----------------------------	-------------------

**Oxidizing properties**

not applicable

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,01 g/cm <sup>3</sup>
Bulk density:	not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26980-49 StabCal Formazin Turbidity Standard, 0,50 NTU

Revision date: 27.05.2020

Product code: 2698049

Page 5 of 8

Water solubility: completely soluble  
(at 20 °C)

**Solubility in other solvents**

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

**9.2. Other information**

Solid content: not applicable

no data available

### SECTION 10: Stability and reactivity

**10.1. Reactivity**

See also section 10.3

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**

Extremes of temperature and direct sunlight.

**10.5. Incompatible materials**

No dangerous reaction known under conditions of normal use.

Oxidizing agents

**10.6. Hazardous decomposition products**

No decomposition if stored and applied as directed.

**Further information**

None known.

### SECTION 11: Toxicological information

**11.1. Information on toxicological effects**

**Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	oral	LD50 mg/kg	9200	Ratte	

**Irritation and corrosivity**

No known effect.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26980-49 StabCal Formazin Turbidity Standard, 0,50 NTU

Revision date: 27.05.2020

Product code: 2698049

Page 6 of 8

#### Sensitising effects

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

#### Specific effects in experiment on an animal

No data is available on the product itself.

#### Additional information on tests

no data available

#### Practical experience

#### Observations relevant to classification

no data available

#### Other observations

no data available

#### Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12: Ecological information

### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine					
	Acute fish toxicity	LC50 mg/l	49800	96 h	Fisch	

### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

### 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

No known effect.

#### Further information

no data available

## SECTION 13: Disposal considerations

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26980-49 StabCal Formazin Turbidity Standard, 0,50 NTU

Revision date: 27.05.2020

Product code: 2698049

Page 7 of 8

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

In accordance with local and national regulations.

##### **List of Wastes Code - residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

##### **List of Wastes Code - used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

##### **List of Wastes Code - contaminated packaging**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

##### **Contaminated packaging**

Dispose of as unused product.

#### **SECTION 14: Transport information**

##### **Land transport (ADR/RID)**

###### **Other applicable information (land transport)**

Not subject to transport regulations.

##### **Inland waterways transport (ADN)**

###### **Other applicable information (inland waterways transport)**

Not tested

##### **Marine transport (IMDG)**

###### **Other applicable information (marine transport)**

Not subject to transport regulations.

##### **Air transport (ICAO-TI/IATA-DGR)**

###### **Other applicable information (air transport)**

Not subject to transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

no data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

##### **Other applicable information**

no data available

#### **SECTION 15: Regulatory information**

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

###### **National regulatory information**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**26980-49 StablCal Formazin Turbidity Standard, 0,50 NTU**

Revision date: 27.05.2020

Product code: 2698049

Page 8 of 8

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Revision: 27.05.2020

Safety datasheet sections which have been updated: 15, 16

Revision: 13.02.2017

Safety datasheet sections which have been updated: 3

Revision: 22.06.2016

Safety datasheet sections which have been updated: 2, 3

Revision: 13.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method

**Relevant H and EUH statements (number and full text)**

H228

Flammable solid.

H317

May cause an allergic skin reaction.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*