

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	COD/CSB MR
Article number	COD-80-MR
UFI	S7CE-0SVK-V52S-TAQ3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Reagent for water analysis
Uses advised against	Other. Do not use for squirting or spraying. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Water-i.d. GmbH
Daimlerstrasse 20
76344 Eggenstein
Germany

Telephone: +49 (0) 721-78 20 29-0
e-mail: lab@water-id.com
Website: <https://www.water-id.com>

e-mail (competent person) lab@water-id.com

1.4 Emergency telephone number

Poison centre	
Name	Telephone
National Chemical Emergency Centre (NCEC) Europe	+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.5	germ cell mutagenicity	1B	Muta. 1B	H340
3.6	carcinogenicity	1B	Carc. 1B	H350
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling (acc. to GB CLP)

- Signal word danger

- Pictograms

GHS05, GHS06,
GHS08, GHS09



- Hazard statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.

- Supplemental hazard information

EUH208 Contains potassium dichromate. May produce an allergic reaction.

- Hazardous ingredients for labelling

mercury sulphate, sulfuric acid, potassium dichromate

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
sulfuric acid	CAS No 7664-93-9 EC No 231-639-5 Index No 016-020-00-8	75 - < 90	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318
mercury sulphate	CAS No 7783-35-9 EC No 231-992-5	1 - < 5	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1 / H314 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410
Disilver sulphate	CAS No 10294-26-5 233-653-7 EC No 233-653-7	< 1	Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410
potassium dichromate	CAS No 7778-50-9 EC No 231-906-6 Index No 024-002-00-6	< 1	Ox. Sol. 2 / H272 Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 1B / H340 Carc. 1B / H350 Repr. 1B / H360FD STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
sulfuric acid	Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	-	-	
mercury sulphate	STOT RE 2; H373: C ≥ 0.1 %	M-factor (acute) = 100	25 mg/kg 5 mg/kg 0.05 mg/l/4h	oral dermal inhalation: dust/mist
Disilver sulphate	-	M-factor (acute) = 1,000 M-factor (chronic) = 100	-	
potassium dichromate	STOT SE 3; H335: C ≥ 5 %	-	100 mg/kg 1,100 mg/kg >0.05 mg/l/4h	oral dermal inhalation: dust/mist

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

COD/CSB MR

Version number: GHS 1.0

Date of compilation: 2026-05-20

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Sulphur oxides (SO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

COD/CSB MR

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.
- Handling of incompatible substances or mixtures
Do not mix with alkali.
- Keep away from
Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions
Store in corrosive resistant container with a resistant inner liner.

Control of effects

Protect against external exposure, such as frost

- Packaging compatibilities
Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
GB	sulfuric acid	7664-93-9	WEL		0.05					t, mist	EH40/2005
GB	chromium(VI) compounds	7778-50-9	WEL		0.01					Cr	EH40/2005
GB	chromium(VI) compounds	7778-50-9	WEL		0.025					Cr, CrVI-pg	EH40/2005
GB	mercury compounds, divalent inorganic	7783-35-9	WEL		0.02					Hg	EH40/2005

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
Cr	calculated as Cr (chromium)
CrVI-pg	Chromium (VI) compounds generated as a result of a work process, such as fumes from welding (process generated)
Hg	calculated as Hg (mercury)
mist	as mists
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
t	thoracic fraction
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	chromium(VI) compounds	chromium	crea	BMGV	10 µmol/mol	EH40/2005

Notation

crea creatinine

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sulfuric acid	7664-93-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
sulfuric acid	7664-93-9	DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
mercury sulphate	7783-35-9	DNEL	32.9 µg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
mercury sulphate	7783-35-9	DNEL	9.33 µg/kg	human, dermal	worker (industry)	chronic - systemic effects

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374. >480 minutes (permeation: level 6).

- Other protection measures

Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Protective clothing against liquid chemicals.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

COD/CSB MR

Version number: GHS 1.0

Date of compilation: 2026-05-20

Physical state	liquid
Colour	orange
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C at 1.013 mPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<1 (20 °C) (acid)
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
---	--------------------------

Vapour pressure	32 hPa at 25 °C
-----------------	-----------------

Density and/or relative density

Density	1.7 g/ml
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics

Liquid content	97.74 %
Solid content	2.26 %

SECTION 10: Stability and reactivity

10.1 Reactivity

COD/CSB MR

Version number: GHS 1.0

Date of compilation: 2026-05-20

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic in contact with skin.

- Acute toxicity estimate (ATE)

Oral 1,647 mg/kg
Dermal 344.8 mg/kg

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
mercury sulphate	7783-35-9	oral	25 mg/kg
mercury sulphate	7783-35-9	dermal	5 mg/kg
mercury sulphate	7783-35-9	inhalation: dust/mist	0.05 mg/l/4h
potassium dichromate	7778-50-9	oral	100 mg/kg
potassium dichromate	7778-50-9	dermal	1,100 mg/kg
potassium dichromate	7778-50-9	inhalation: dust/mist	>0.05 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Contains potassium dichromate. May produce an allergic reaction.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulfuric acid	7664-93-9	EC50	>100 mg/l	daphnia magna	48 h
sulfuric acid	7664-93-9	EC50	>100 mg/l	green algae (Desmod-esmus subspicatus)	72 h
mercury sulphate	7783-35-9	EC50	0.009 mg/l	daphnia magna	48 h
Disilver sulphate	10294-26-5 233-653-7	LC50	1.2 µg/l	fathead minnow (Pimephales promelas)	96 h
Disilver sulphate	10294-26-5 233-653-7	EC50	2.52 µg/l	algae	72 h

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Disilver sulphate	10294-26-5 233-653-7	EC50	2.56 µg/l	aquatic invertebrates	14 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
mercury sulphate	7783-35-9		-1.03	
Disilver sulphate	10294-26-5 233-653-7	70		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

ADR/RID	UN 2922
IMDG-Code	UN 2922
ICAO-TI	UN 2922

14.2 UN proper shipping name

ADR/RID	CORROSIVE LIQUID, TOXIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, TOXIC, N.O.S.
ICAO-TI	Corrosive liquid, toxic, n.o.s.
Technical name (hazardous ingredients)	sulfuric acid, mercury sulphate

14.3 Transport hazard class(es)

ADR/RID	8 (6.1)
IMDG-Code	8 (6.1)
ICAO-TI	8 (6.1)

14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	mercury sulphate

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code CT1
Danger label(s) 8+6.1, fish and tree



Environmental hazards YES (hazardous to the aquatic environment)
Special provisions (SP) 274, 802(ADN)
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 86
Emergency Action Code 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code CT1
Danger label(s) 8+6.1, fish and tree



Environmental hazards YES (hazardous to water)
Special provisions (SP) 274, 802(ADN)
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 86

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant YES (hazardous to the aquatic environment) (mercury sulphate)
Danger label(s) 8+6.1, fish and tree



Special provisions (SP) 274
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-A, S-B
Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards YES (hazardous to the aquatic environment)
Danger label(s) 8+6.1



Special provisions (SP)	A3, A4
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Hazardous substances in electrical and electronic equipment (RoHS)	
Name acc. to inventory	Maximum concentration values tolerated by weight in homogeneous materials
chromium(VI) compounds	0,1 % Cr
mercury compounds	0,1 % Hg

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
sulfuric acid		a)	
potassium dichromate		a)	
potassium dichromate		a)	
mercury sulphate		b)	HAZ
mercury sulphate		c)	
mercury sulphate		a)	
Disilver sulphate		a)	

Legend

- a) Indicative list of the main pollutants
- b) List of priority substances in the field of water policy
- c) Environmental Quality Standards for Priority Substances and certain other pollutants
- HAZ Identified as priority hazardous substance

Regulation concerning the export and import of hazardous chemicals (PIC)

Chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

COD/CSB MR

Name of substance	CAS No	Category / subcategory	Use limitation
mercury sulphate		p	
mercury sulphate	7783-35-9		

Legend

p Category: p - pesticides

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE			
Name of substance	CAS No	Listed in	Remarks
potassium dichromate	7778-50-9	Annex XIV	Carc. A57a Muta. A57b Repr. A57c

Legend

Annex XIV List of substances subject to authorisation

Carc. A57a Carcinogenic (Article 57a)

Muta. A57b Mutagenic (Article 57b)

Repr. A57c Toxic for reproduction (Article 57c)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
COD/CSB MR	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
potassium dichromate	Chromium VI compounds		47
potassium dichromate	Chromium VI compounds		72
potassium dichromate	carcinogenic		28
potassium dichromate	germ cell mutagenic (mutagenic)		29
potassium dichromate	toxic for reproduction		30
mercury sulphate	Mercury compounds		18

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC Australian Inventory of Industrial Chemicals

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

Legend

IECSC Inventory of Existing Chemical Substances Produced or Imported in China
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UFI	Unique formula identifier
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.