

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name	<b>Calcium Hardness Tablet Count</b>
Article number	TbsRCH
UFI	QVGE-ER1N-X413-4KD9

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses	Reagent for water analysis
Uses advised against	Other. Do not use for squirting or spraying.

**1.3 Details of the supplier of the safety data sheet**

Water-i.d. GmbH  
Daimlerstrasse 20  
76344 Eggenstein  
Germany

Telephone: +49 (0) 721-78 20 29-0  
e-mail: lab@water-id.com  
Website: <https://www.water-id.com>

e-mail (competent person) lab@water-id.com

**1.4 Emergency telephone number**

Poison centre	
Name	Telephone
National Chemical Emergency Centre (NCEC) Europe	+44 1235 239670

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

**2.2 Label elements**

Labelling (acc. to GB CLP)

- Signal word danger

- Pictograms

GHS05



**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

- Hazard statements  
H314 Causes severe skin burns and eye damage.
- Precautionary statements  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P363 Wash contaminated clothing before reuse.
- Hazardous ingredients for labelling Lithium hydroxide monohydrate

**2.3 Other hazards**

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not relevant (mixture)

**3.2 Mixtures**

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Cellulose	CAS No 9004-34-6  EC No 232-674-9	50 – < 75	
Lithium hydroxide monohydrate	CAS No 1310-66-3 1310-65-2  EC No 215-183-4	10 – < 25	Acute Tox. 4 / H302 Skin Corr. 1 / H314 Eye Dam. 1 / H318
Disodium dihydrogen ethylene-diaminetetraacetate	CAS No 6381-92-6 139-33-3  EC No 205-358-3	5 – < 10	Acute Tox. 4 / H332 STOT RE 2 / H373

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Lithium hydroxide monohydrate	-	-	500 mg/kg	oral
Disodium dihydrogen ethylenediaminetetraacetate	-	-	1.5 mg/l/4h	inhalation: dust/mist

**Remarks**

For full text of abbreviations: see SECTION 16

## Calcium Hardness Tablet Count

Version number: GHS 1.0

Date of compilation: 2026-05-18

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water, Foam, ABC-powder

##### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

##### Advice on how to contain a spill

Covering of drains, Take up mechanically

##### Advice on how to clean up a spill

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures  
Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

**7.2 Conditions for safe storage, including any incompatibilities**

Managing of associated risks

- Explosive atmospheres  
Removal of dust deposits.
- Packaging compatibilities  
Only packagings which are approved (e.g. acc. to ADR) may be used.

**7.3 Specific end use(s)**

See section 16 for a general overview.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	lithium hydroxide	1310-65-2	WEL				1				EH40/2005
GB	cellulose	9004-34-6	WEL		10		20			i, dust	EH40/2005
GB	cellulose	9004-34-6	WEL		4					r	EH40/2005

Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- dust as dust
- i inhalable fraction
- r respirable fraction
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	DNEL	0.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	DNEL	0.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	DNEL	0.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	DNEL	5.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	PNEC	1.228 mg/l	aquatic organisms	freshwater	short-term (single instance)
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	PNEC	0.123 mg/l	aquatic organisms	marine water	short-term (single instance)
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	PNEC	7.92 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	PNEC	31.94 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	PNEC	3.194 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	PNEC	5.9 mg/kg	terrestrial organisms	soil	short-term (single instance)
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	PNEC	2.5 mg/l	aquatic organisms	freshwater	short-term (single instance)
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	PNEC	0.25 mg/l	aquatic organisms	marine water	short-term (single instance)
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	PNEC	50 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	PNEC	1.1 mg/kg	terrestrial organisms	soil	short-term (single instance)

**8.2 Exposure controls**

Appropriate engineering controls

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

- Hand protection

>480 minutes (permeation: level 6).

- Other protection measures

Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Protective clothing for use against solid particulates.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Physical state	solid (tablets)
Colour	light pink
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not relevant (solid)
Flash point	not applicable
Auto-ignition temperature	>400 °C (relative self-ignition temperature for solids)
Decomposition temperature	not relevant
pH (value)	>12 (base)
Kinematic viscosity	not relevant
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	0 hPa at 25 °C
-----------------	----------------

Density and/or relative density

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

Density	not determined
Relative vapour density	not relevant (solid)

Particle characteristics	no data available
--------------------------	-------------------

**9.2 Other information**

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	---

Other safety characteristics

Liquid content	0 %
Solid content	100 %

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

See below "Conditions to avoid".

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

There are no specific conditions known which have to be avoided.

**10.5 Incompatible materials**

Oxidisers

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification acc. to GHS**

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Lithium hydroxide monohydrate	1310-66-3 1310-65-2	oral	500 mg/kg
Disodium dihydrogen ethylenediaminetetraacetate	6381-92-6 139-33-3	inhalation: dust/mist	1.5 mg/l/4h

## Calcium Hardness Tablet Count

Version number: GHS 1.0

Date of compilation: 2026-05-18

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

**SECTION 14: Transport information**

**14.1 UN number**

ADR/RID	UN 2680
IMDG-Code	UN 2680
ICAO-TI	UN 2680

**14.2 UN proper shipping name**

ADR/RID	LITHIUM HYDROXIDE
IMDG-Code	LITHIUM HYDROXIDE
ICAO-TI	Lithium hydroxide

**14.3 Transport hazard class(es)**

ADR/RID	8
IMDG-Code	8
ICAO-TI	8

**14.4 Packing group**

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

**14.5 Environmental hazards**

non-environmentally hazardous acc. to the dangerous goods regulations

**14.6 Special precautions for user**

Provisions for dangerous goods (ADR) should be complied within the premises.

**14.7 Maritime transport in bulk according to IMO instruments**

The cargo is not intended to be carried in bulk.

**Information for each of the UN Model Regulations**

**Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information**

Classification code	C6
Danger label(s)	8



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X

**Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information**

Classification code	C6
---------------------	----

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

Danger label(s) 8



Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

Transport category (TC) 2

Hazard identification No 80

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant -

Danger label(s) 8



Special provisions (SP) -

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

EmS F-A, S-B

Stowage category A

Segregation group 18 - Alkalis

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Danger label(s) 8



Excepted quantities (EQ) E2

Limited quantities (LQ) 5 kg

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Relevant provisions of the European Union (EU)**

**Deco-Paint Directive**

VOC content	0 %
-------------	-----

**Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

**Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)**

none of the ingredients are listed

**Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

none of the ingredients are listed

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

**Water Framework Directive (WFD)**

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Lithium hydroxide monohydrate		a)	

Legend

a) Indicative list of the main pollutants

**Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

**National regulations (GB)**

**List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list**

none of the ingredients are listed

**Restrictions according to GB REACH, Annex 17**

none of the ingredients are listed

**National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals  
 ECSI EC Substance Inventory (EINECS, ELINCS, NLP)  
 IECSC Inventory of Existing Chemical Substances Produced or Imported in China  
 REACH Reg. REACH registered substances  
 TSCA Toxic Substance Control Act

**15.2 Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

**Calcium Hardness Tablet Count**

Version number: GHS 1.0

Date of compilation: 2026-05-18

Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
UFI	Unique formula identifier
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

**Key literature references and sources for data**

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

## Calcium Hardness Tablet Count

Version number: GHS 1.0

Date of compilation: 2026-05-18

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.