

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

### Chloride Tablet Count

Revision date 11-29-2021

Revision Number 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code(s)** TBSRCD  
**Product Name** Chloride Tablet Count  
**Unique Formula Identifier (UFI)** 15YD-KXM8-951X-THSD  
**Pure substance/mixture** Mixture  
Contains Chromic acid (H<sub>2</sub>CrO<sub>4</sub>), dipotassium salt, Potassium dichromate

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Reagent for water analysis  
**Uses advised against** Others

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer**  
Water-I.D. GmbH  
Daimlerstr. 20  
76344 Eggenstein, Germany  
Tel.: +49 (0) 721 78 20 29 0, Fax: +49 (0) 721 78 20 29 11  
Website: www.water-id.com  
EHS / Compliance: lab@water-id.com

### 1.4. Emergency telephone number

**Emergency Telephone** Poison Control Centre Munich  
Tel.: +49 (0) 89 19 24 0  
Germany  
24 hours service  
Languages: German, English

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Acute toxicity - Inhalation (Dusts/Mists)</b>	Category 4 - (H332)
<b>Skin corrosion/irritation</b>	Category 1 Sub-category B - (H314)
<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
<b>Skin sensitisation</b>	Category 1 - (H317)
<b>Germ cell mutagenicity</b>	Category 1B - (H340)
<b>Carcinogenicity</b>	Category 1B - (H350i)
<b>Reproductive toxicity</b>	Category 1B - (H360FD)
<b>Chronic aquatic toxicity</b>	Category 2 - (H411)

**2.2. Label elements**

Contains Chromic acid (H<sub>2</sub>CrO<sub>4</sub>), dipotassium salt, Potassium dichromate

**Signal word**

Danger

**Hazard statements**

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H340 - May cause genetic defects

H350i - May cause cancer by inhalation

H360FD - May damage fertility. May damage the unborn child

H411 - Toxic to aquatic life with long lasting effects

EUH208 - Contains Potassium dichromate May produce an allergic reaction.

**Precautionary Statements - EU (§28, 1272/2008)**

P201 - Obtain special instructions before use

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P321 - Specific treatment (see .? on this label)

P391 - Collect spillage

**Additional information**

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings if supplied to the general public.

**2.3. Other hazards**

Toxic to aquatic life.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Cellulose 9004-34-6	30-50	No data available	232-674-9	No data available			
Silver nitrate 7761-88-8	1-10	No data available	231-853-9	Skin Corr. 1B (H314) Aquatic Acute 1 (H400)			

				Aquatic Chronic 1 (H410) Ox. Sol. 2 (H272)			
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	1-10	No data available	232-140-5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Muta. 1B (H340) Carc. 1B (H350i) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1 :: C>=0.5%		
Potassium dichromate 7778-50-9	<1	No data available	231-906-6	Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 1B (H340) Carc. 1B (H350) Repr. 1B (H360FD) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Ox. Sol. 2 (H272)	STOT SE 3 :: C>=5%		
Lithium hydroxide monohydrate 1310-66-3	<1	No data available	-	No data available			
Silica, amorphous 7631-86-9	<1	No data available	231-545-4	No data available			
Magnesium stearate 557-04-0	<1	No data available	209-150-3	No data available			

**Full text of H- and EUH-phrases: see section 16**Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Cellulose 9004-34-6	5000	2000	5.8		
Silver nitrate 7761-88-8	1173				
Potassium dichromate 7778-50-9	48	1150			
Lithium hydroxide monohydrate 1310-66-3	363		>6.15		
Silica, amorphous 7631-86-9	7900	5000	2.08		

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium	7789-00-6	X

salt		
Potassium dichromate	7778-50-9	X

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing dust/fume/gas/mist/vapours/spray. Use personal protective equipment as required. See section 8 for more information.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitisation in susceptible persons. Treat symptomatically.
------------------------	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition
--	--

<b>chemical</b>	can lead to release of irritating gases and vapours. Product is or contains a sensitiser. May cause sensitisation by skin contact.
-----------------	--

### **5.3. Advice for firefighters**

<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
----------------------------------	---

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Take up mechanically, placing in appropriate containers for disposal.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

### **6.4. Reference to other sections**

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Remove contaminated clothing and shoes. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid generation of dust.
<b>General hygiene considerations</b>	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapours/spray.

### **7.2. Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	--

**7.3. Specific end use(s)**

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Cellulose 9004-34-6	-	-	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Silver nitrate 7761-88-8	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>
Potassium dichromate 7778-50-9	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	Respiratory sensitizer Skin sensitizer	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>
Lithium hydroxide monohydrate 1310-66-3	-	-	-	-	STEL: 1 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9	TWA: 0.1 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>	-
Magnesium stearate 557-04-0	-	-	TWA: 10 mg/m <sup>3</sup>	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Cellulose 9004-34-6	-	-	TWA: 1 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
Silver nitrate 7761-88-8	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> Ceiling: 0.03 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	-	TWA: 0.01 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>
Potassium dichromate 7778-50-9	-	TWA: 0.01 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9	-	TWA: 0.1 mg/m <sup>3</sup> TWA: 4.0 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Cellulose 9004-34-6	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
Silver nitrate 7761-88-8	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> Peak: 0.02 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	TWA: 0.001 mg/m <sup>3</sup> STEL: 0.005 mg/m <sup>3</sup>	-	*	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Potassium dichromate 7778-50-9	TWA: 0.001 mg/m <sup>3</sup> STEL: 0.005 mg/m <sup>3</sup>	-	*	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9	-	TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Cellulose	TWA: 10 mg/m <sup>3</sup>	TWA: 5.00 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-

9004-34-6	STEL: 30 mg/m <sup>3</sup>				
Silver nitrate 7761-88-8	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup> STEL: 0.075 mg/m <sup>3</sup>	-	TWA: 0.0002 mg/m <sup>3</sup> STEL: 0.0005 mg/m <sup>3</sup> *	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup>	Sensitizer TWA: 0.005 mg/m <sup>3</sup> STEL: 0.015 mg/m <sup>3</sup>
Potassium dichromate 7778-50-9	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup> STEL: 0.075 mg/m <sup>3</sup>	-	TWA: 0.0002 mg/m <sup>3</sup> STEL: 0.0005 mg/m <sup>3</sup> *	TWA: 0.005 mg/m <sup>3</sup> TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup>	Sensitizer TWA: 0.005 mg/m <sup>3</sup> STEL: 0.015 mg/m <sup>3</sup>
Lithium hydroxide monohydrate 1310-66-3	STEL: 1 mg/m <sup>3</sup>	-	-	-	-
Silica, amorphous 7631-86-9	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup>	-	-	TWA: 1 mg/m <sup>3</sup>	-
Magnesium stearate 557-04-0	TWA: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Cellulose 9004-34-6	-	-	-	-	TWA: 3 mg/m <sup>3</sup>
Silver nitrate 7761-88-8	TWA: 0.01 mg/m <sup>3</sup>	-	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: 0.03 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	-	-	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup> STEL: 0.015 mg/m <sup>3</sup>	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup>
Potassium dichromate 7778-50-9	-	-	TWA: 0.001 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup> STEL: 0.015 mg/m <sup>3</sup>	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.01 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9	-	-	TWA: 0.75 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	-
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Cellulose 9004-34-6	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>
Silver nitrate 7761-88-8	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> STEL: STEL mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	-	-	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> sensitizer
Potassium dichromate 7778-50-9	TWA: 0.5 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	-	-	TWA: 0.010 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> sensitizer
Silica, amorphous 7631-86-9	-	-	-	TWA: 4 mg/m <sup>3</sup>	-
Magnesium stearate 557-04-0	TWA: 10 mg/m <sup>3</sup>	-	-	-	TWA: 10 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland		United Kingdom
Cellulose 9004-34-6	NGV: 2 mg/m <sup>3</sup>		TWA: 3 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Silver nitrate 7761-88-8	NGV: 0.01 mg/m <sup>3</sup> NGV: 0.1 mg/m <sup>3</sup>		TWA: 0.01 mg/m <sup>3</sup> STEL: 0.02 mg/m <sup>3</sup>		TWA: 0.01 mg/m <sup>3</sup>
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	NGV: 0.005 mg/m <sup>3</sup> Sensitizer		TWA: 0.005 mg/m <sup>3</sup> H*		TWA: 0.01 mg/m <sup>3</sup> TWA: 0.025 mg/m <sup>3</sup> Capable of causing occupational asthma
Potassium dichromate	NGV: 0.005 mg/m <sup>3</sup>		TWA: 0.005 mg/m <sup>3</sup>		TWA: 0.01 mg/m <sup>3</sup>

7778-50-9	Bindande KGV: 0.015 mg/m <sup>3</sup> Sensitizer	H*	TWA: 0.025 mg/m <sup>3</sup> Capable of causing occupational asthma
Silica, amorphous 7631-86-9	-	TWA: 4 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup>
Magnesium stearate 557-04-0	NGV: 5 mg/m <sup>3</sup>	-	-

**Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Chromic acid (H2CrO4), dipotassium salt 7789-00-6	-	9 µg/L (blood - Ethylenediaminetetraacetic acid not provided) 12 µg/L (urine - spontaneous urine after end of work day, at the end of a work week/end of the shift) ( - )	-	5 µg/g Creatinine - urine (Chromium) - single sample at the end of the work shift	-
Potassium dichromate 7778-50-9	-	9 µg/L (blood - Ethylenediaminetetraacetic acid not provided) 12 µg/L (urine - spontaneous urine after end of work day, at the end of a work week/end of the shift) ( - )	-	5 µg/g Creatinine - urine (Chromium) - single sample at the end of the work shift	-
Chemical name	Denmark	Finland	France	Germany	Germany MAK
Chromic acid (H2CrO4), dipotassium salt 7789-00-6	-	-	0.01 mg/g creatinine - urine (Total Chromium) - during shift 0.03 mg/g creatinine - urine (Total Chromium) - end of shift at end of workweek	0.6 µg/L - BAR (end of exposure or end of shift) urine	-
Potassium dichromate 7778-50-9	-	-	0.01 mg/g creatinine - urine (Total Chromium) - augmented during shift 0.03 mg/g creatinine - urine (Total Chromium) - end of shift at end of workweek	0.6 µg/L - BAR (end of exposure or end of shift) urine	-
Chemical name	Hungary	Ireland	Italy	Italy REL	
Chromic acid (H2CrO4), dipotassium salt 7789-00-6	-	25 µg/L (urine - total Chromium end of shift at end of workweek) 10 µg/L (urine - total Chromium increase	-	25 µg/L - urine (Total chromium) - end of shift at end of workweek 10 µg/L - urine (Total chromium) - increase	



		during shift)		during shift
Potassium dichromate 7778-50-9	-	25 µg/L (urine - total Chromium end of shift at end of workweek) 10 µg/L (urine - total Chromium increase during shift)	-	25 µg/L - urine (Total chromium) - end of shift at end of workweek 10 µg/L - urine (Total chromium) - increase during shift

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

### Personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapours/spray.

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** Solid  
**Appearance** tablet  
**Colour** beige  
**Odour** Odourless.  
**Odour threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	No data available	None known
<b>Autoignition temperature</b>	232 °C	None known
<b>Decomposition temperature</b>		None known
<b>pH</b>	7.0	None known
<b>pH (as aqueous solution)</b>	No data available	No information available
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Water solubility</b>	No data available	None known

Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

**9.2. Other information**

9.2.1. Information with regards to physical hazard classes  
Not applicable

9.2.2. Other safety characteristics  
No information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity No information available.

**10.2. Chemical stability**

Stability Stable under normal conditions.

**Explosion data**

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions None under normal processing.

**10.4. Conditions to avoid**

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

**10.5. Incompatible materials**

Incompatible materials Acids. Bases. Oxidising agent.

**10.6. Hazardous decomposition products**

Hazardous decomposition products None known based on information supplied.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information****Inhalation**

Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by

inhalation.

**Eye contact**

Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye irritation.

**Skin contact**

Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May cause sensitisation by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Ingestion**

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms related to the physical, chemical and toxicological characteristics****Symptoms**

Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

**Numerical measures of toxicity****Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,357.10 mg/kg
ATEmix (dermal)	2,079.30 mg/kg
ATEmix (inhalation-dust/mist)	1.89 mg/l

**Unknown acute toxicity**

55.57 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cellulose	> 5 g/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5800 mg/m <sup>3</sup> ( Rat ) 4 h
Silver nitrate	= 1173 mg/kg ( Rat )		
Potassium dichromate	= 48 mg/kg ( Rat )	= 1150 mg/kg ( Rabbit )	= 99 mg/m <sup>3</sup> ( Rat ) 4 h
Lithium hydroxide monohydrate	= 120 mg/kg ( Rat )		= 0.96 mg/L ( Rat ) 4 h
Silica, amorphous	= 7900 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 2.08 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation**

Classification based on data available for ingredients. Causes burns.

**Serious eye damage/eye irritation**

Classification based on data available for ingredients. Risk of serious damage to eyes. Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause sensitisation by skin contact.

**Germ cell mutagenicity**

Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt	Muta. 1B
Potassium dichromate	Muta. 1B

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt	Carc. 1B
Potassium dichromate	Carc. 1B

**Reproductive toxicity** Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Potassium dichromate	Repr. 1B

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity** Contains 93.08 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Silver nitrate	-	LC50: 0.001339 - 0.001637mg/L (96h, Oncorhynchus mykiss) LC50: 0.00181 - 0.00214mg/L (96h, Pimephales promelas) LC50: 0.00452 - 0.00638mg/L (96h, Pimephales promelas) LC50: 0.00512 -	-	EC50: 0.0008 - 0.001mg/L (48h, Daphnia magna) EC50: 0.0008 - 0.0011mg/L (48h, Daphnia magna) EC50: =0.0006mg/L (48h, Daphnia magna)

		0.00787mg/L (96h, <i>Poecilia reticulata</i> ) LC50: 0.0064 - 0.0106mg/L (96h, <i>Pimephales promelas</i> ) LC50: 0.00839 - 0.1802mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: 0.009 - 0.02mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: 0.0242 - 0.0484mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: 0.05 - 0.07mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =0.0027mg/L (96h, <i>Cyprinus carpio</i> ) LC50: =0.0075mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: =0.009mg/L (96h, <i>Pimephales promelas</i> )		
Potassium dichromate	-	LC50: 113.6 - 155.7mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: 14 - 20.9mg/L (96h, <i>Pimephales promelas</i> ) LC50: 15.41 - 30.36mg/L (96h, <i>Pimephales promelas</i> ) LC50: 21.209 - 30.046mg/L (96h, <i>Oryzias latipes</i> ) LC50: 23 - 41.2mg/L (96h, <i>Poecilia reticulata</i> ) LC50: 24.81 - 34.55mg/L (96h, <i>Poecilia reticulata</i> ) LC50: 65.6 - 137.6mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =12.3mg/L (96h, <i>Oncorhynchus mykiss</i> ) LC50: =320mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: >139mg/L (96h, <i>Cyprinus carpio</i> )	-	-
Silica, amorphous	EC50: =440mg/L (72h, <i>Pseudokirchneriella subcapitata</i> )	LC50: =5000mg/L (96h, <i>Brachydanio rerio</i> )	-	EC50: =7600mg/L (48h, <i>Ceriodaphnia dubia</i> )

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment****PBT and vPvB assessment**

Chemical name	PBT and vPvB assessment
Silver nitrate	PBT assessment does not apply
Potassium dichromate	PBT assessment does not apply
Lithium hydroxide monohydrate	The substance is not PBT / vPvB
Silica, amorphous	The substance is not PBT / vPvB PBT assessment does not apply

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**SECTION 14: Transport information****IATA**

**14.1 UN number or ID number** UN1759  
**14.2 UN proper shipping name** Corrosive solid, n.o.s. (Silver nitrate, Potassium dichromate)  
**14.3 Transport hazard class(es)** 8  
**14.4 Packing group** II  
**Description** UN1759, Corrosive solid, n.o.s. (Silver nitrate, Potassium dichromate), 8, II  
**14.5 Environmental hazards** Yes  
**14.6 Special precautions for user**  
**Special Provisions** A3, A803  
**ERG Code** 8L

**IMDG**

**14.1 UN number or ID number** UN1759  
**14.2 UN proper shipping name** Corrosive solid, n.o.s. (Silver nitrate, Chromic acid (H<sub>2</sub>CrO<sub>4</sub>), dipotassium salt)  
**14.3 Transport hazard class(es)** 8  
**14.4 Packing group** II  
**Description** UN1759, Corrosive solid, n.o.s. (Silver nitrate, Chromic acid (H<sub>2</sub>CrO<sub>4</sub>), dipotassium salt), 8, II, Marine pollutant  
**14.5 Marine pollutant** P  
**Environmental hazards** Yes  
**14.6 Special precautions for user**  
**Special Provisions** 274  
**EmS-No** F-A, S-B No information available  
**14.7 Maritime transport in bulk according to IMO instruments** No information available

**RID**

**14.1 UN number or ID number** UN1759  
**14.2 UN proper shipping name** Corrosive solid, n.o.s. (Silver nitrate, Potassium dichromate)

14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1759, Corrosive solid, n.o.s. (Silver nitrate, Potassium dichromate), 8, II, Environmentally Hazardous
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274
Classification code	C10

**ADR**

14.1 UN number or ID number	UN1759
14.2 UN proper shipping name	Corrosive solid, n.o.s. (Silver nitrate, Potassium dichromate)
14.3 Transport hazard class(es)	8
14.4 Packing group	II
Description	UN1759, Corrosive solid, n.o.s. (Silver nitrate, Potassium dichromate), 8, II, (E), Environmentally Hazardous
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274
Classification code	C10
Tunnel restriction code	(E)

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number	Title
Cellulose 9004-34-6	RG 66	-
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt 7789-00-6	RG 10, RG 10bis, RG 10ter	-
Potassium dichromate 7778-50-9	RG 10, RG 10bis, RG 10ter	-
Silica, amorphous 7631-86-9	RG 25	-

**Netherlands**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt	Present	Present	Fertility Category 2 Development Category 1B
Potassium dichromate	Present	Present	Fertility Category 1B Can be harmful via breastfeeding Development Category 1B

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorisations and/or restrictions on use:**

This product contains one or more substance(s) subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)  
This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Chromic acid (H <sub>2</sub> CrO <sub>4</sub> ), dipotassium salt - 7789-00-6	72. 28. 29.	X
Potassium dichromate - 7778-50-9	72. 28. 29. 30.	X

**Persistent Organic Pollutants**

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**EU - Biocidal Product Regulation ((EU) 528/2012)**

Chemical name	EU - Biocidal Product Regulation ((EU) 528/2012)
Silver nitrate - 7761-88-8	Product-type 1: Human hygiene

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDL</b>	Does not comply
<b>EINECS/ELINCS</b>	Does not comply
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Complies
<b>KECL</b>	Does not comply
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

**Chemical Safety Report** No information available

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H272 - May intensify fire; oxidiser  
H301 - Toxic if swallowed  
H312 - Harmful in contact with skin  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation



H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H330 - Fatal if inhaled  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H340 - May cause genetic defects  
H350 - May cause cancer  
H350i - May cause cancer by inhalation  
H360FD - May damage fertility. May damage the unborn child  
H372 - Causes damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

**Legend**

SVHC: Substances of Very High Concern for Authorisation:

**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Carcinogenicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AELG(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date

11-29-2021

---

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**