

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

## **Dissolved Oxygen No.2**

Revision date 05-07-2024

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Code(s) PL30DO2, PL10DO2, FW10DO2

Product Name Dissolved Oxygen No.2

Unique Formula Identifier (UFI) 16QE-MD80-R916-YCF0

Pure substance/mixture Mixture Contains Sodium hydroxide, EDTA Na4\*2H2O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagent for water analysis

Uses advised against Others

### 1.3. Details of the supplier of the safety data sheet

### Manufacturer

Water-i.d. GmbH Daimlerstr. 20 76344 Eggenstein, Germany Tel.: +49 (0) 721 78 20 29 0, Fax: +49 (0) 721 78 20 29 11 Website: www.water-id.com EHS / Compliance: lab@water-id.com

### 1.4. Emergency telephone number

Emergency Telephone

United Kingdom	+44 1235 239670
_	English

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)

### 2.2. Label elements

Contains Sodium hydroxide, EDTA Na4\*2H2O



Signal word Danger

### Hazard statements

H314 - Causes severe skin burns and eye damage

### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

### Additional information

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings if supplied to the general public.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sodium hydroxide 1310-73-2	1-15	No data available	215-185-5	Skin Corr. 1A (H314)			
EDTA Na4*2H2O 64-02-8	1-10	No data available	200-573-9	Acute Tox. 4 (H302) Eye Dam. 1 (H318)			

### Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sodium hydroxide 1310-73-2	325	1350			
EDTA Na4*2H2O 64-02-8	1658				

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical attention.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).		
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms	Burning sensation.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to doctors	Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.		

## SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapours.	
5.3. Advice for firefighters		
Special protective equipment and	Firefighters should wear self-contained breathing apparatus and full firefighting turnout	

precautions for fire-fighters

gear. Use personal protection equipment.

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
6.3. Methods and material for conta	inment and cleaning up
6.3. Methods and material for conta Methods for containment	inment and cleaning up Prevent further leakage or spillage if safe to do so.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for containment Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Take up mechanically, placing in appropriate containers for disposal.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bu	Igaria	Croatia
Sodium hydroxide	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 2	2.0 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
1310-73-2		STEL 4 mg/m <sup>3</sup>			-	
Chemical name	Cyprus	Czech Republic	Denmark	Es	stonia	Finland
Sodium hydroxide	-	TWA: 1 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	TWA:	1 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
1310-73-2		Ceiling: 2 mg/m <sup>3</sup>		STEL:	2 mg/m <sup>3</sup>	
Chemical name	France	Germany TRGS	Germany DFG	Gr	eece	Hungary
Sodium hydroxide	TWA: 2 mg/m <sup>3</sup>	-	-	TWA:	2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
1310-73-2				STEL:	2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>
Chemical name	Ireland	Italy MDLPS	Italy AIDII	La	atvia	Lithuania
Sodium hydroxide	STEL: 2 mg/m <sup>3</sup>	-	Ceiling: 2 mg/m <sup>3</sup>	TWA: (	).5 mg/m³	Ceiling: 2 mg/m <sup>3</sup>
1310-73-2						
Chemical name	Luxembourg	Malta	Netherlands	No	orway	Poland
Sodium hydroxide	-	-	-		-	STEL: 1 mg/m <sup>3</sup>
1310-73-2						TWA: 0.5 mg/m <sup>3</sup>
Chemical name	Portugal	Romania	Slovakia	Slo	ovenia	Spain
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>		-	STEL: 2 mg/m <sup>3</sup>
1310-73-2		STEL: 3 mg/m <sup>3</sup>				
Chemical name	S	weden	Switzerland		Uni	ted Kingdom
Sodium hydroxide	NGV	: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>		ST	EL: 2 mg/m <sup>3</sup>
1310-73-2	Bindande	KGV: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>			

### **Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Derived No Effect Level (DNEL) No information available. Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

### Personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	No information available.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical a	and chemical properties	
Physical state	Liquid	
Appearance	Liquid	
Colour	colourless	
Odour	Odourless.	
Odour threshold		
Property_	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size		
Particle Size Distribution		

### 9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

10.4. Conditions to avoid

Conditions to avoid

Exposure to air or moisture over prolonged periods.

### 10.5. Incompatible materials

Incompatible materials Acids. Bases. Oxidising agent.

### 10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

### Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.
Numerical measures of toxicity	
Acute toxicity	
The following values are calculated ATEmix (oral) ATEmix (dermal)	d based on chapter 3.1 of the GHS document 2,319.80 mg/kg 11,129.40 mg/kg
Component Information	

# Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	
EDTA Na4*2H2O	= 1658 mg/kg (Rat)		

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.	
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.	
Respiratory or skin sensitisation	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Aspiration hazard	No information available.	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting prope	rties	

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium hydroxide	-	LC50: =45.4mg/L (96h,	-	-
		Oncorhynchus mykiss)		
EDTA Na4*2H2O	-	LC50: =41mg/L (96h,	-	-
		Lepomis macrochirus)		
		LC50: =59.8mg/L (96h,		
		Pimephales promelas)		

### 12.2. Persistence and degradability

### Persistence and degradability

12.3. Bioaccumulative potential

### **Bioaccumulation**

No information available.

### 12.4. Mobility in soil

Mobility in soil

## 12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Sodium hydroxide	The substance is not PBT / vPvB PBT assessment does
	not apply
EDTA Na4*2H2O	The substance is not PBT / vPvB

## 12.6. Endocrine disrupting properties

### Endocrine disrupting properties

### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

# **SECTION 14: Transport information**

### ΙΑΤΑ

<ul> <li>14.1 UN number or ID number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group Description</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user Special Provisions ERG Code</li> </ul>	UN1824 Sodium hydroxide solution 8 II UN1824, Sodium hydroxide solution, 8, II Not applicable A3, A803 8L
IMDG14.1 UN number or ID number14.2 UN proper shipping name14.3 Transport hazard class(es)14.4 Packing group Description14.5 Marine pollutant14.6 Special precautions for user Special Provisions EmS-No14.7 Maritime transport in bulk according to IMO instruments	UN1824 Sodium hydroxide solution 8 II UN1824, Sodium hydroxide solution, 8, II NP None F-A, S-B

RID

<ul> <li>14.1 UN number or ID number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group</li> <li>Description</li> <li>14.5 Environmental hazards</li> </ul>	UN1824 Sodium hydroxide solution 8 II UN1824, Sodium hydroxide solution, 8, II Not applicable
14.6 Special precautions for user	
Special Provisions	None
Classification code	C5
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Classification code Tunnel restriction code	UN1824 Sodium hydroxide solution 8 II UN1824, Sodium hydroxide solution, 8, II, (E) Not applicable None C5 (E)

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

### **Chemical Safety Report**

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 05-07-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet