SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Iron In Oil Vial

Revision date 05-23-2025 **Revision Number** 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) IIO-kv

Product Name Iron In Oil Vial

Unique Formula Identifier (UFI) 1910-S04A-K005-RHWQ

Contains Petroleum distillates, hydrotreated light

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagent for water analysis

Uses advised against Others

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

Emergency Telephone +44 1235 239670
English, Albanian, Bosnian, Bulgarian, Croatian, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Spanish, Swedish, Turkish and Ukrainian.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aspiration hazard	Category 1 - (H304)

2.2. Label elements

Contains Petroleum distillates, hydrotreated light

Signal word
Danger

Hazard statements
H304 - May be fatal if swallowed and enters airways
EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable
P280 - Wear protective gloves, eye protection and face protection

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Petroleum distillates, hydrotreated light 64742-47-8	20-30	No data available	265-149-8	Asp. Tox. 1 (H304)			
Acetic acid … % 64-19-7	1-5	No data available	200-580-7	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	Skin Corr. 1B: : 25%<=C<90% Skin Irrit. 2: : 10%<=C<25% Skin Corr. 1A: : C>=90% Eye Irrit. 2: : 10%<=C<=25 %		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Petroleum distillates, hydrotreated light 64742-47-8	5000	2000			
Acetic acid … % 64-19-7	3310	1060	11.4		

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air. Medical aid is necessary if symptoms appear to be an obvious consequence of inhalation.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Get medical attention immediately if symptoms occur. Rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning. Erythema (skin redness). May cause blindness.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Hydrogen chloride.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Acetic acid … % 64-19-7	-	TWA: 10 ppm TWA: 25 mg/m³ STEL 20 ppm STEL 50 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 38 mg/m³	STEL: 50 mg/m³ STEL: 20 ppm TWA: 25 mg/m³ TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Acetic acid … % 64-19-7	STEL: 50 mg/m³ STEL: 20 ppm TWA: 10 ppm TWA: 25 mg/m³	TWA: 25 mg/m³ Ceiling: 50 mg/m³	TWA: 10 ppm TWA: 25 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 10 ppm STEL: 25 mg/m³	TWA: 5 ppm TWA: 13 mg/m³ STEL: 10 ppm STEL: 25 mg/m³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Petroleum distillates, hydrotreated light 64742-47-8	-	TWA:	TWA: 5 mg/m³ TWA: 50 ppm TWA: 350 mg/m³ Peak: 20 mg/m³ Peak: 100 ppm Peak: 700 mg/m³	-	-
Acetic acid … % 64-19-7	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	TWA: 10 ppm TWA: 25 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ Peak: 20 ppm Peak: 50 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 37 mg/m³	TWA: 25 mg/m³ STEL: 50 mg/m³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Acetic acid … % 64-19-7	TWA: 20 ppm TWA: 50 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	TWA: 25 ppm TWA: 10 mg/m³ STEL: 50 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 37 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 50 mg/m³ STEL: 20 ppm	TWA: 10 ppm TWA: 25 mg/m³ STEL: 50 mg/m³ STEL: 20 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Acetic acid … % 64-19-7	STEL: 50 mg/m³ STEL: 20 ppm TWA: 10 ppm TWA: 25 mg/m³	STEL: 20 ppm STEL: 50 mg/m³ TWA: 10 ppm TWA: 25 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	STEL: 20 ppm STEL: 50 mg/m³	STEL: 50 mg/m³ TWA: 25 mg/m³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Acetic acid … %	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm

64-19-7	TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	TWA: 25 mg/m³ Ceiling: 50 mg/m³	TWA: 25 mg/m³ STEL: STEL mg/m³ STEL: STEL ppm	TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³

Chemical name	Sweden	Switzerland	United Kingdom
Petroleum distillates, hydrotreated light 64742-47-8	-	TWA: 50 ppm TWA: 350 mg/m³ TWA: 5 mg/m³ STEL: 100 ppm STEL: 700 mg/m³	-
Acetic acid … % 64-19-7	NGV: 5 ppm NGV: 13 mg/m³ Bindande KGV: 10 ppm Bindande KGV: 25 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³

Biological occupational exposure limits
This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Nitrile rubber. Gloves must conform to standard EN 374.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance aqueous solution
Colour colourless
Odour Odourless.
Odour threshold

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known

Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	4 - 5	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size		
Particle Size Distribution		

9.2. Other information

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat.

10.5. Incompatible materials

Incompatible materials Metals.

10.6. Hazardous decomposition products

Hazardous decomposition products Hydrogen chloride.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity
No information available

Acute toxicity

The following ATE values have been calculated for the mixture
ATEmix (oral) 19,674.40 mg/kg
ATEmix (dermal) 7,585.50 mg/kg

10.56 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
1.47 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
33.29 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
33.29 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).
33.29 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Acetic acid … %	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated light	-	LC50: =2.2mg/L (96h, Lepomis macrochirus) LC50: =2.4mg/L (96h, Oncorhynchus mykiss) LC50: =45mg/L (96h, Pimephales promelas)	-	-
Acetic acid … %	-	LC50: =75mg/L (96h, Lepomis macrochirus) LC50: =79mg/L (96h, Pimephales promelas)	-	EC50: =65mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
Acetic acid … %	-0.17

12.4. Mobility in soil

Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Petroleum distillates, hydrotreated light	The substance is not PBT / vPvB
Acetic acid … %	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant Not applicable
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

ADR

14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number	Title
Petroleum distillates, hydrotreated light 64742-47-8	RG 84	-

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Acetic acid … % - 64-19-7	Plant protection agent

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H304 - May be fatal if swallowed and enters airways
H314 - Causes severe skin burns and eye damage
H331 - Toxic if inhaled
H335 - May cause respiratory irritation

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Serious eye damage/eye irritation	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 05-23-2025

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet