PL CHROMATE 1

Page: 1

Compilation date: 09/12/2015

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: PL CHROMATE 1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Reagent for water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name: Pool-i.d. GmbH

Daimlerstrasse 20
D-76344 Eggenstein
Deutschland/Germany

Tel: +49 (0) 721 - 78 20 29 - 0

Fax: +49 (0) 721 - 78 20 29 - 11

Email: info@pool-id.com

#### 1.4. Emergency telephone number

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315

Classification under CHIP: Xn: R22; Xi: R36

Most important adverse effects: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

## 2.2. Label elements

#### Label elements under CLP:

Hazard statements: H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P270: Do not eat, drink or smoke when using this product.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

PL CHROMATE 1

Page: 2

contact lenses, if present and easy to do. Continue rinsing.

P330: Rinse mouth.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

#### AMMONIUM CHLORIDE

	EINECS	CAS	CHIP Classification	CLP Classification	Percent
	235-186-4	12125-02-9	-	Acute Tox. 4: H302; Eye Irrit. 2: H319	70-90%
1,5-DIPHENYLCARBAZIDE					

-	140-22-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H335	

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

PL CHROMATE 1

Page: 3

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

## 7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Hazardous ingredients:

# AMMONIUM CHLORIDE

## Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	10 mg/m3	20 mg/m3	-	-

#### 8.1. DNEL/PNEC Values

**DNEL / PNEC** No data available.

PL CHROMATE 1

Page: 4

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. **Respiratory protection:** Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

#### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Powder
Colour: White
Odour: Odourless

Solubility in water: Soluble

#### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

PL CHROMATE 1

Page: 5

#### **Hazardous ingredients:**

#### **AMMONIUM CHLORIDE**

ORL	MUS	LD50	1300	mg/kg
ORL	RAT	LD50	550	mg/kg
SCU	MUS	LDLO	500	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis	
Acute toxicity (harmful)	ING	Hazardous: calculated	
Irritation	OPT	Hazardous: calculated	

## Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

# 12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

# 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

PL CHROMATE 1

Page: 6

#### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

#### **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

R22: Harmful if swallowed.

R36: Irritating to eyes.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.