



according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1816-32 Sulfide 1 Reagent

UFI: JPXA-AA08-E00D-QG53

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... %

Signal word: Danger

Pictograms:





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 2 of 10

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-93-9	sulphuric acid %		55-65 %	
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			35-45 %
	231-791-2			
60160-75-0	N,N-Dimethyl-p-phenylenediamine sulfate			<0,5 %
	262-092-0			
	Acute Tox. 3; H301			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
7664-93-9	231-639-5	sulphuric acid %	55-65 % %
	Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.





according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 3 of 10

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

After indestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Gives off hydrogen by reaction with metals. Reacts violently with water.

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage





according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 4 of 10

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes. Do not breathe vapours/dust. Wash thoroughly after handling.0

Advice on protection against fire and explosion

None known. See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Keep at temperatures between 10 and 25 °C.

Hints on joint storage

Protect against Bases, Oxidizing agents, Metals

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.





according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 5 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): < 0,5

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

no data available

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

1,500 g/cm³

not applicable

Water solubility:

miscible

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available no data available Viscosity / dynamic: no data available Viscosity / kinematic: Flow time: no data available no data available Vapour density: Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 6 of 10

9.2. Other information

Solid content: no data available

Corrosive in contact with metals Mild steel: 0,048 mm/yr

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: acetic acid, Oxidizing agents, Solvent, Alkali metals

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

10.5. Incompatible materials

woven fabric, Organic materials

10.6. Hazardous decomposition products

Gives off hydrogen by reaction with metals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
60160-75-0	N,N-Dimethyl-p-phenylenediamine sulfate				
	oral	LD50 100 ma/ka	rat	RTECS	

Irritation and corrosivity

Causes severe burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 7 of 10

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1830

14.2. UN proper shipping name: sulphuric acid %

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 8 of 10



Classification code:

Limited quantity:

Excepted quantity:

Transport category:

Hazard No:

Tunnel restriction code:

C1

Limited quantity:

E2

Racepted quantity:

E3

Racepted quantity:

E4

Racepted quantity:

E5

Racepted quantity:

E6

Racepted quantity:

E7

Racepted quantity:

E80

Racepted quantity:

Racepted quantity:

E80

Racepted quantity:

Other applicable information (land transport)

Excepted Quantities: E2
Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 1830

14.2. UN proper shipping name: SULPHURIC ACID with more than 51 % acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-A, S-B

Other applicable information (marine transport)

Excepted Quantities: E2

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1830

14.2. UN proper shipping name: SULPHURIC ACID with more than 51 % acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Limited quantity Passenger: 0.5 L
Passenger LQ: Y840
Excepted quantity: E2

IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

Excepted Quantities: E2 Passenger-LQ: Y840





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 9 of 10

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 19.04.2021

Safety datasheet sections which have been updated: 7

Revision: 27.03.2019

Safety datasheet sections which have been updated: 2, 3, 7, 15, 16

Revision: 07.02.2017

Safety datasheet sections which have been updated: 2

Revision: 27.05.2015

Safety datasheet sections which have been updated: 2, 11

Revision: 20.01.2014

Safety datasheet sections which have been updated: 2-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of





according to Regulation (EC) No 1907/2006

1816-32 Sulfide 1 Reagent

Revision date: 19.04.2021 Product code: 181632 Page 10 of 10

product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)