

Water-i.d. GmbH

According to (EC) No. 1272/2008[EU-GHS/CLP]

Safety Data Sheet (SDS)

Product Name:	water test strips	
Model No.:	TSL 700	

Written by: Linda

(Linda)

Inspected by:

(Jose)



ISSUED BY: TUV-Laboratory (China) Service of Testing Co., Ltd.

Oct. 2021 PRINT

Item No.:	21A431A236
SDS No.:	EMS.211.020.004.WID
Initial Date:	Oct. 20, 2021
Revision Date:	Oct. 20, 2021



Product Name: water test strips

SDS No.: EMS.211.020.004.WID

Initial Date: Oct. 20, 2021

Version: 1.0

Revision Date: Oct. 20, 2021

Item No.: 21A431A236

Section 1

Product and Company Identification

Product identification

Product Name:	water test strips
Model No.:	TSL 700
HS code:	3822001090
CAS No.:	Not applicable
EC No.:	Not applicable
Molecular formula:	Not applicable

Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Testing water quality
Uses advised against:	No special note

Details of the applicant, supplier

Company name:	Water-i.d. GmbH
Address:	Daimlerstr. 20, Eggenstein-Leopoldshafen Germany
Post code:	76344
Telephone:	49 (0) 721 - 78 20 29 - 0
Fax:	
E-mail:	lab@water-id.com

Emergency telephone number

Emergency telephone:	Poison Control Centre Munich, +49 (0) 89 19 24 0.	
----------------------	---	--

Section 2

Hazard Description

Hazard class and label elements of the product according to Regulation (EC) No. 1272/2008 [EU-GHS/CLP]:

GHS Hazard class

Non-hazardous substance or mixture.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd. 3F, E Block, Waide Building, Tuyong, Bao'an Dist, Shenzhen Website: www.tuv-lab.com Tel: 4008-553-663

Fax: 0755-3295 7866

E-mail: report@tuv-lab.com



Product Name: water test strips

Initial Date: Oct. 20, 2021

Version: 1.0

SDS No.: EMS.211.020.004.WID

Revision Date: Oct. 20, 2021

Item No.: 21A431A236

GHS label elements

Pictogram(s):	None
Signal word:	None

Hazard statements

Not applicable.

Other Hazards

None.

Hazard description

Physical and chemical hazards

Non-flammable, no special combustion and explosion characteristics.

Health hazards

None.

Environmental hazards

Please refer to Section 12 of SDS.

Section 3

Composition/Ingredient Data

☐Material Mixture

No.	Component(s)		Content, % CAS No.	
		Filter paper	98.0	11132-73-3
		Monosodium phosphate	1.00	7758-80-7
1	White	Disodium hydrogen phosphate dihydrate	0.50	10028-24-7
		Poly(vinyl alcohol)	0.30	9002-89-5
		Hydroxylamine hydrochloride	0.20	5740-11-1
		Filter paper	98.0	11132-73-3
2	2 Yellow	Bromocresol green	1.00	76-60-8
		Phenol Red	0.80	143-74-8

This fectorical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd. 3F, E Block, WaiderBuilding, Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com Tel: 4008-553-663 E-mail: report@tuv-lab.com Fax: 0755-3295 7866



Product Name: water test strips

Initial Date: Oct. 20, 2021

Version: 1.0

SDS No.: EMS.211.020.004.WID

Revision Date: Oct. 20, 2021

Item No.: 21A431A236

No.	Component(s)		Content, %	CAS No.
	Liabt	Filter paper	98.00	11132-73-3
3	Light yellow	Thymol Blue	1.00	76-61-9
	yenow	Bromothymol Blue	1.00	76-59-5
		Filter paper	98.00	11132-73-3
	Orange	Triethanolamine borate	1.10	283-56-7
+	4 yellow	Gelatin	0.70	9000-70-8
		Xylenol Orange sodium salt	0.20	63721-83-5
		Filter paper	98.00	11132-73-3
		Potassium iodide	0.70	7681-11-0
5	Blue	3-hydroxy-4-(6-hydroxy-m-tolylazo) naphthalene-1-sulphonic acid	0.60	3147-14-6
		Sodium hydroxide	0.40	1310-73-2
		Glycine	0.30	56-40-6

Section 4

First Aid Measures

Description of first aid measures

Description of mist are incasures		
Conoral advice:	Show this safety data sheet to the doctor in attendance.	
General advice:	After receiving the first-aid measure required, consult a physician if necessary.	
Skin contact:	It is harmless if used as intended.	
Skin contact:	If worry, wash off with soap and plenty of water as a precaution.	
	If the mucous membrane of the eye or the like is irritated by fumes, steam, fine	
	particles, etc., check for and remove any contact lenses, occasionally lifting the	
Eyes contact:	upper and lower eyelids. Immediately flush eyes with running water, disappear	
Lyes Contact.	until the chemical residues so far.	
	Provide a readily-accessible eyewash facility and quick-drench safety shower.	
	Do not rubbing eyes with hand.	
	If worker inhales plenty of steam, power or dust, move exposed person to	
Inhalation:	fresh air. Maintain an open airway. Keep person warm and at rest.	
IIII alauon.	If breathing is irregular, provide artificial respiration or oxygen by trained	
	personnel.	

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Hudide Building, Tuyong, Bao'an Dist, Shenzhen

Service of T

Website: www.tuv-lab.com
Tel: 4008-553-663
E-mail: report@tuv-lab.com
Fax: 0755-3295 7866



Version: 1.0 Product Name: water test strips Initial Date: Oct. 20, 2021 SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

	Get medical attention if adverse health effects persist or are severe.
Ingestion:	Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person.

Most important acute and delayed symptoms/effects

The most important known symptoms and effects are described in section 2 and/or in section 11.

Immediate/special treatment

- Continue with first aid measures. Treat symptomatically and supportively.
- Symptoms may be delayed.

Section 5

Firefighting Measures

Extinguishing agent

Suitable extinguishing agents:	Use dry sand, dry chemical or CO ₂ foam extinguishing.
	Water spray can be used to cool fire exposed containers/materials.
	Use extinguishing media most appropriate for the surrounding fire.
Unsuitable extinguishing agents:	Do not uses a solid water stream as it may scatter or spread fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released: Carbon oxides, sodium oxide, etc.

Fire precautions and measures

- Firefighters must wear self-contained breathing apparatus, wear full body fire suit, fire extinguishing in the upwind.
- 2 As far as possible will be transferred to empty containers from the scene.
- Keep the fire water spray containers cooling, until the end of fire.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd. 3F, E Block, Waide Building, Tuyong, Bao'an Dist, Shenzhen Website: www.tuv-lab.com Tel: 4008-553-663 Fax: 0755-3295 7866



E-mail: report@tuv-lab.com

Product Name: water test strips

SDS No.: EMS.211.020.004.WID

Initial Date: Oct. 20, 2021 Revision Date: Oct. 20, 2021 Version: 1.0

Item No.: 21A431A236

4 If the containers in the fire ground have been color, must be evacuated immediately.

- 5 Isolated accident scene, prohibit access.
- 6 Receiving and processing of fire, to prevent environmental pollution.

Section 6

Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- 1 No action shall be taken involving any personal risk or without suitable training.
- 2 Keep unnecessary and unprotected personnel from entering.
- 3 Do not touch or walk through spilt material, avoid slipping.
- 4 Avoid breathing dusts/steam.
- **5** Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
- 6 Put on appropriate personal protective equipment (see section 8).

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- Pick up and arrange disposal without creating dust. Collect mechanically. Keep in suitable, closed containers for disposal.
- Disposal: Contaminated material must be disposed of in accordance with all State and/or Local regulations.

Section 7

Handling and Storage

Precautions for safe handling

Service of

- 1 Avoid formation of dust and aerosols.
- 2 Put on appropriate personal protective equipment (see section 8).
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- 4 Workers should wash hands and face before eating, drinking and smoking. Avoid contact eyes.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, WaiderBuilding, Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
E-mail: report@tuv-lab.com

Tel: 4008-553-663



Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

	Avoid breathing dust.	
5	Provide suitable exhaust equipment. Operate in a well-ventilated place.	
6	Normal measures for preventive fire protection. Keep away from heat/open flames/hot surfaces.	
7	Observe good housekeeping procedures and hygiene practices.	
8	Provide for appropriate exhaust ventilation and dust collection at machinery.	
9	Wash thoroughly after handling.	
10	Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.	
11	Handling of light when light disposal to prevent packaging and container is damaged.	
12	Fire prevention and moisture-proof. Do not touch test panel on strip.	

Precautions for storage

4	Store in accordance with local regulations. Stored in a dry, cool and well-ventilated area. Keep	
	container tightly closed.	
2	Avoid direct sunlight. Keep away from open flames and high temperatures, away from incompatible	
	materials (see section 10).	
3	Moisture-proof and water-proof.	
4	Keep out of reach of children and pets.	
5	Recommended storage temperature: <50℃. Relative humidity: <80%.	

Section 8

Exposure Controls/Personal Protection

Control parameters

Occupational Exposure limit values

Components	Country/region	Occupational exposure limits (8h)		Occupational exposure limits (Short time)	
CAS No.		ppm	mg/m ³	ppm	mg/m ³
Sodium hydroxide 1310-73-2	USA-OSHA	(:)	2	-	_
	Sweden	(-)	1	_	2
	Korea		-	-	2
	Ireland		9 - 0	-	2

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com Tel: 4008-553-663 E-mail: report@tuv-lab.com Fax: 0755-3295 7866



Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0
SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

Denmark	(-	2	-	2
Australia	3 - 3	-	-	2

I Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

General requirements:			
Despiratory protection:	Normally not required if used as intended.		
Respiratory protection:	Recommended to wear masks during production.		
	Normally not required if used as intended.		
Eye protection:	Wear safety glasses when there is a potential for eye contact during		
	production.		
Skin and body	Normally not required if used as intended.		
protection:	Wear suitable protective clothing and boots during production.		
	Normally not required if used as intended.		
	Wear protective gloves during production.		
Hands protostion:	Check protective gloves prior to each use for their proper condition.		
Hands protection:	The selection of the suitable gloves does not only depend on the material, but		
	also on further marks of quality and varies from manufacturer to		
	manufacturer.		

Section 9

Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance and character:	White, Yellow, Light yellow, Orange yellow, Blue; Strip test paper, solid
Odor:	Odorless
Melting point/freezing point (°C):	No data/Not applicable
Initial boiling point and boiling range (°C):	No data/Not applicable

E-mail: report@tuv-lab.com

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Waide Building Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
Tel: 4008-553-663
Page 7 of 15

Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

Flash point (°C):	No data/Not applicable
Evaporation rate:	No data/Not applicable
Steam pressure (20°C):	No data/Not applicable
Relative density (water=1):	No data/Not applicable
Partition coefficient: n-octanol/water:	No data/Not applicable
Decomposition temperature (°C):	No data/Not applicable
Auto ignition temperature (°C):	No data/Not applicable
pH value:	No data/Not applicable
Explosion limit [% (v/v)]:	Non explosives
Relative vapor density(air=1):	No data/Not applicable
Solubility:	Insoluble in water
Flammability (solid, gas):	Non-flammable
Oxidizing properties:	The substance does not belong to oxidizing substances

Section 10 Stability and Reactivity

Stability and Reactivity

Stability:	The product is chemically stable.		
Reactivity:	Stable under recommended storage and handling conditions.		
Incompatible materials:	Strong oxidizing agents, strong acids and strong bases.		
Conditions to avoid: In contrast to the nature of the material, water, direct sunlight, high temperature of the material			
	Under normal conditions of storage and use, hazardous decomposition		
decomposition products:	products should not be produced.		

Section 11 Toxicological Information

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Hudide Building, Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
Tel: 4008-553-663
E-mail: report@tuv-lab.com
Fax: 0755-3295 7866



Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

Acute toxicity

Compone	ent(s)	CAS No.	LD50(Oral)	LD50(Dermal)	LC50(Inhalation)
Glycii	ne	56-40-6	Rat: 7930mg/kg Mouse: 4920mg/kg	No data	No data

Skin corrosion/irritation:	According to the existing data, the product is not classified. Allergic persons to the substances contained, may be irritating to skin. Will not irritate to skin under normal conditions.
Eye corrosion/irritation:	According to the existing data, the product is not classified.
Respiratory sensitization:	These products are not known to cause human respiratory sensitization.
Skin sensitization:	These products are not known to cause skin sensitization.
Germ cell mutagenicity:	According to the existing data, the product is not classified.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:	According to the existing data, the product is not classified.
Specific target organ toxicity - single exposure:	According to the existing data, the product is not classified.
Specific target organ toxicity - repeated exposure:	According to the existing data, the product is not classified.
Aspiration hazard:	According to the existing data, the product is not classified.
Additional reproductive toxicity hazards:	According to the existing data, the product is not classified.

Section 12 Ecological Information

Aquatic toxicity

Acute/Chronic aquatic This product contains no hazardous or toxic substances, and presents a toxicity: negligible impact on the environment based on its reported use pattern.

Persistence and degradability

Persistence: No data.

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, HuaiderBuilding, Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
Tel: 4008-553-663
E-mail: report@tuv-lab.com
Fax: 0755-3295 7866



Product Name: water test strips

Initial Date: Oct. 20, 2021

Version: 1.0

SDS No.: EMS.211.020.004.WID

Revision Date: Oct. 20, 2021 Item No.: 21A431A236

Bioaccumulative potential

Bioaccumulation:

The potential for bioaccumulation of this material in aquatic organisms is low.

Mobility in soil

Mobility:

No data.

Results of PBT and vPvB assessment

Component(s)	CAS No.	Results of PBT and vPvB assessment
Filter paper	11132-73-3	Not belong to PBT/vPvB
Poly(vinyl alcohol)	9002-89-5	Not belong to PBT/vPvB
Hydroxylamine hydrochloride	5740-11-1	Not belong to PBT/vPvB
Disodium hydrogen phosphate dihydra te	10028-24-7	Not belong to PBT/vPvB
Monosodium phosphate	7758-80-7	Not belong to PBT/vPvB
Bromocresol green	76-60-8	Not belong to PBT/vPvB
Phenol Red	143-74-8	Not belong to PBT/vPvB
Thymol Blue	76-61-9	Not belong to PBT/vPvB
Bromothymol Blue	76-59-5	Not belong to PBT/vPvB
Xylenol Orange sodium salt	63721-83-5	Not belong to PBT/vPvB
Triethanolamine borate	283-56-7	Not belong to PBT/vPvB
Gelatin	9000-70-8	Not belong to PBT/vPvB
Glycine	56-40-6	Not belong to PBT/vPvB
Sodium hydroxide	1310-73-2	Not belong to PBT/vPvB
Potassium iodide	7681-11-0	Not belong to PBT/vPvB
3-hydroxy-4-(6-hydroxy-m-tolylazo) naphthalene-1-sulphonic acid	3147-14-6	Not belong to PBT/vPvB

Section 13

Disposal Considerations

Waste disposal


Residual waste:

Service of T

Before disposal should refer to the relevant national and local laws and regulation.

This section cal report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd. 3F, E Block, WaiderBuilding, Tuyong, Bao'an Dist, Shenzhen Website: www.tuv-lab.com Tel: 4008-553-663



E-mail: report@tuv-lab.com

Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

	The generation of waste should be avoided or minimized wherever possible. Recommended ignition under control or transfer to a suitable container and arrange for collection by specialized disposal company if recycling is not feasible.
Contaminated packaging:	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations:	Dispose of container and unused contents in accordance with national and local relevant regulations laws.

Section 14

Transport Information

Transport rules

According to IATA DGR 62nd Edition for transportation, IMO International Maritime Dangerous Goods Code (Amendment 39-18), European Agreement Concerning the International Carriage of Dangerous Goods by Road. The products are not subject to IATA DGR, IMDG and ADR/RID.

Label(s) required

Label(s): None

Road transport (UN-ADR)

UN number:	Not regulated
UN proper shipping name:	Not regulated
Transport hazard class(es)-Main:	Not regulated
Transport hazard class(es)-Sub risk:	None
Packaging group:	Not regulated
Special provisions:	None
Hazard code:	None

Air transport (ICAO-IATA/DGR)

UN number: Not regulated

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, Huaide Building, Tuyong, Bao'an Dist, Shenzhen

Tel: 4008-553-663
Page 11 of 15

Website: www.tuv-lab.com Tel: 4008-553-663 E-mail: report@tuv-lab.com Fax: 0755-3295 7866

Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

UN proper shipping name:	Not regulated
Transport hazard class(es)-Main:	Not regulated
Transport hazard class(es)-Sub risk:	None
Packaging group:	Not regulated
Special provisions for transportation	None
ERG code:	None

Sea transport (IMDG-CODE)

UN number:	Not regulated
UN proper shipping name:	Not regulated
Transport hazard class(es)-Main:	Not regulated
Transport hazard class(es)-Sub risk:	None
Packaging group:	Not regulated
Special provisions for transportation:	None
Marine pollutants (Yes/No):	No
EmS No.:	None

Section 15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture:
 - 1 Regulatory information: Reference to the local, national, US, EU, CA and international regulations

CAS No.	TSCA	IECSC	EINECS/ELINCS/NLP	DSL/NDSL
11132-73-3	Listed	Unlisted	Listed	Listed DSL

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, HuaiderBuilding, Tuyong, Bao'an Dist, Shenzhen

Website: www.tuv-lab.com
E-mail: report@tuv-lab.com
Fax: 0755-3295 7866



Product Name: water test strips

SDS No.: EMS.211.020.004.WID

Initial Date: Oct. 20, 2021

Version: 1.0

Revision Date: Oct. 20, 2021 Item No.: 21A431A236

CAS No.	TSCA	IECSC	EINECS/ELINCS/NLP	DSL/NDSL
9002-89-5	Listed	Listed	Listed	Listed DSL
5740-11-1	Unlisted	Listed	Listed	Listed DSL
10028-24-7	Unlisted	Listed	Listed	Listed DSL
7758-80-7	Listed	Listed	Listed	Listed DSL
76-60-8	Listed	Listed	Listed	Listed DSL
143-74-8	Listed	Listed	Listed	Listed DSL
76-61-9	Listed	Listed	Listed	Listed DSL
76-59-5	Listed	Listed	Listed	Listed DSL
63721-83-5	Listed	Listed	Listed	Listed DSL
283-56-7	Unlisted	Unlisted	Listed	Listed NDSL
9000-70-8	Listed	Listed	Listed	Listed DSL
56-40-6	Listed	Listed	Listed	Listed DSL
1310-73-2	Listed	Listed	Listed	Listed DSL
7681-11-0	Listed	Listed	Listed	Listed DSL
3147-14-6	Listed	Listed	Listed	Listed DSL

Section 16 Other Information

Abbreviations or phrases

ACGIH: American Conference of Governmental Industrial Hygienists	
ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS:	Chemical Abstracts Service
CLP:	Classification, labeling and packaging
EC:	Council of Europe
ECHA:	European Chemicals Agency
EINECS:	European Inventory of Existing commercial Chemical Substances
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals

E-mail: report@tuv-lab.com

This section cal report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

TUV-Laboratory (China) Service of Testing Co., Ltd. 3F, E Block, WaiderBuilding, Tuyong, Bao'an Dist, Shenzhen Website: www.tuv-lab.com Tel: 4008-553-663



Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236

IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association
RID:	Regulation for rail International transportation of Dangerous goods
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Dangerous Goods Code
IC ₅₀ :	Inhibitory Concern Triton 50%
LC ₅₀ :	Lethal Concentration 50%
LD ₅₀ :	Median Lethal Dose 50%
MAPROL:	International Convention for the Prevention of Pollution from Ships
REACH:	REGULATION concerning the Registration, Evaluation, Authorization and Restriction of Chemicals
STEL:	Short Term Exposure Limit
TWA:	Time Weighted Average
MAC:	Maximum Allowable Concentration
OSHA:	Occupational Safety and Health Administration
NIOSH:	National Institute for Occupational Safety and Health
TLV:	Threshold Limit Value
TLV-TWA:	Threshold Limit Value-Time Weighted Average
TLV- STEL:	Threshold Limit Value-Short term Exposure Limit
PC-TWA:	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
PEL:	Permissible Exposure Limit
OELs:	Occupational Exposure Limits

Reference

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, WaiderBuilding, Tuyong, Bao'an Dist, Shenzhen

1	IARC
2	OECD: The Global Portal to Information on Chemical Substances
3	U.S. Department of Transportation: ERG
4	Germany GESTIS-database on hazard substance

Website: www.tuv-lab.com

E-mail: report@tuv-lab.com

This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.



Product Name: water test strips Initial Date: Oct. 20, 2021 Version: 1.0

SDS No.: EMS.211.020.004.WID Revision Date: Oct. 20, 2021 Item No.: 21A431A236


5	CAMEO Chemicals
6	NLM: ChemIDplus
7	EPA: Integrated Risk Information System
8	IPCS: The International Chemical Safety Cards (ICSC)

Disclaimer

The above information is believed to be correct but we can not guarantee the absolute universality and accuracy and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

TUV-Laboratory ensures the objectivity and fairness of the test and fulfills the confidentiality obligations of the applicant's information. The applicant is responsible for the authenticity of the submitted samples and information. The results shown in this report relate only to the samples tested. The test results only reflect the evaluation of the sample being tested and are not used for other purposes. TUV-Laboratory shall not be liable for any loss arising from or in connection with this report, contract, tort, regulation or other reasons. This report is invalid or has been copied in whole or in part if there is no approver signature and TUV-Laboratory testing special seal. This report may not be published as an advertisement without the approval of the TUV-Laboratory. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is illegal and the offender may be prosecuted to the fullest extent of the law.

Product photo(s)



END OF REPORT


This technical report may only be quoted in full. Any use for advertising purposes must be granted in writing. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

Website: www.tuv-lab.com

E-mail: report@tuv-lab.com

TUV-Laboratory (China) Service of Testing Co., Ltd.

3F, E Block, WaiderBuilding, Tuyong, Bao'an Dist, Shenzhen



Tel: 4008-553-663