

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Total Hardness No.2 Liquid

Revision date 04-17-2025 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) POL10TH2, FW05TH2

Product Name Total Hardness No.2 Liquid

Unique Formula Identifier (UFI) KTKT-VDTR-V12G-MFDM

Pure substance/mixture Contains Ethylene glycol Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Reagent for water analysis

Uses advised against Others

1.3. Details of the supplier of the safety data sheet

Manufacturer

Water-i.d. GmbH Daimlerstr. 20

76344 Eggenstein, Germany

Tel.: +49 (0) 721 78 20 29 0, Fax: +49 (0) 721 78 20 29 11

Website: www.water-id.com

EHS / Compliance: lab@water-id.com

1.4. Emergency telephone number

Emergency Telephone +44 1235 239670

English, Albanian, Bosnian, Bulgarian, Croatian, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Latvian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Spanish, Swedish, Turkish and Ukrainian.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)

2.2. Label elements

Contains Ethylene glycol



Signal word Warning

Hazard statements

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust, fume, gas, mist, vapors and spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye and face protection

P314 - Get medical advice/attention if you feel unwell

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Ethylene glycol 107-21-1	40-60	No data available	203-473-3	Acute Tox. 4 (H302) STOT RE 2 (H373)			
Acetic acid 64-19-7	1-5	No data available	200-580-7	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	Skin Corr. 1B:: 25%<=C<90% Skin Irrit. 2:: 10%<=C<25% Skin Corr. 1A:: C>=90% Eye Irrit. 2:: 10%<=C<=25%		

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Ethylene glycol	4700	10600	3.75		

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
107-21-1					
Acetic acid 64-19-7	3310	1060	11.4		

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethylene glycol	TWA: 20 ppm	TWA: 10 ppm	*	STEL: 40 ppm	TWA: 20 ppm
107-21-1	TWA: 52 mg/m ³	TWA: 26 mg/m ³		STEL: 104 mg/m ³	TWA: 52 mg/m ³
	STEL: 40 ppm	STEL 20 ppm		TWA: 52 mg/m ³	STEL: 40 ppm
	STEL: 104 mg/m ³	STEL 52 mg/m ³		TWA: 20 ppm	STEL: 104 mg/m ³
	*	H*		K*	*
Acetic acid	-	TWA: 10 ppm	TWA: 10 ppm	STEL: 50 mg/m ³	TWA: 10 ppm
64-19-7		TWA: 25 mg/m ³	TWA: 25 mg/m ³	STEL: 20 ppm	TWA: 25 mg/m ³
		STEL 20 ppm	STEL: 15 ppm	TWA: 25 mg/m ³	STEL: 20 ppm
		STEL 50 mg/m ³	STEL: 38 mg/m ³	TWA: 10 ppm	STEL: 50 mg/m ³

Chemical name		Cyprus	Czech Republic	Denmark	Fs	stonia	Finland
Ethylene glycol		*	TWA: 50 mg/m ³	TWA: 10 ppm	_	20 ppm	TWA: 20 ppm
107-21-1	STI	EL: 40 ppm	Ceiling: 100 mg/m ³	TWA: 26 mg/m ³		52 mg/m ³	TWA: 50 mg/m ³
	STEI	_: 104 mg/m ³	*	TWA: 10 mg/m ³		: 40 ppm	STEL: 40 ppm
		/A: 20 ppm		H*	STEL: 1	104 mg/m ³	STEL: 100 mg/m ³
		4: 52 mg/m ³				A*	iho*
Acetic acid		L: 50 mg/m ³	TWA: 25 mg/m ³	TWA: 10 ppm		10 ppm	TWA: 5 ppm
64-19-7		EL: 20 ppm	Ceiling: 50 mg/m ³	TWA: 25 mg/m ³		25 mg/m ³	TWA: 13 mg/m ³
		/A: 10 ppm A: 25 mg/m ³				: 10 ppm 25 mg/m³	STEL: 10 ppm STEL: 25 mg/m ³
Chemical name	1 0 0 7	France	Germany TRGS	Germany DFG		eece	Hungary
Ethylene glycol	TΛ	/A: 20 ppm	TWA: 10 ppm	TWA: 10 ppm	_	50 ppm	TWA: 52 mg/m ³
107-21-1		A: 52 mg/m ³	TWA: 26 mg/m ³	TWA: 26 mg/m ³		25 mg/m ³	STEL: 104 mg/m ³
		EL: 40 ppm	<u>_</u>	Peak: 20 ppm		: 50 ppm	*
		_: 104 mg/m³		Peak: 52 mg/m ³		125 mg/m³	
				*			
Acetic acid		/A: 10 ppm	TWA: 10 ppm	TWA: 10 ppm		10 ppm	TWA: 25 mg/m ³
64-19-7		A: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 25 mg/m ³		25 mg/m ³	STEL: 50 mg/m ³
		EL: 20 ppm L: 50 mg/m ³		Peak: 20 ppm		: 15 ppm 37 mg/m³	
Chemical name	SIE	Ireland	Italy MDLPS	Peak: 50 mg/m ³ Italy AIDII		atvia	Lithuania
Ethylene glycol	Τ\Λ	/A: 20 ppm	TWA: 20 ppm	TWA: 25 ppm		20 ppm	*
107-21-1		A: 52 mg/m ³	TWA: 52 mg/m ³	STEL: 50 ppm		52 mg/m ³	TWA: 10 ppm
		EL: 40 ppm	STEL: 40 ppm	STEL: 10 mg/m ³		: 40 ppm	TWA: 25 mg/m ³
		_: 104 mg/m³	STEL: 104 mg/m ³			104 mg/m³	STEL: 20 ppm
		Sk*	pelle*			*	STEL: 50 mg/m ³
Acetic acid		/A: 20 ppm	TWA: 25 ppm	TWA: 10 ppm		: 10 ppm	TWA: 10 ppm
64-19-7		A: 50 mg/m ³	TWA: 10 mg/m ³	TWA: 25 mg/m ³		25 mg/m ³	TWA: 25 mg/m ³
		EL: 20 ppm	STEL: 50 mg/m ³	STEL: 15 ppm		50 mg/m ³	STEL: 50 mg/m ³
Chemical name		L: 50 mg/m ³	STEL: 20 ppm Malta	STEL: 37 mg/m ³ Netherlands		: 20 ppm	STEL: 20 ppm Poland
Ethylene glycol	Lu	*	ividila *	TWA: 52 mg/m ³		orway 104 mg/m³	STEL: 50 mg/m ³
107-21-1	STI	EL: 40 ppm	STEL: 40 ppm	TWA: 32 mg/m ³		: 40 ppm	TWA: 15 mg/m ³
		_: 104 mg/m ³	STEL: 104 mg/m ³	STEL: 40 ppm	0	о рр	
		/A: 20 ppm	TWA: 20 ppm	STEL: 104 mg/m ³			
	TW	4: 52 mg/m ³	TWA: 52 mg/m ³	H*			
Acetic acid		L: 50 mg/m ³	STEL: 20 ppm	TWA: 10 ppm		: 20 ppm	STEL: 50 mg/m ³
64-19-7		EL: 20 ppm	STEL: 50 mg/m ³	TWA: 25 mg/m ³	STEL:	50 mg/m ³	TWA: 25 mg/m ³
		/A: 10 ppm	TWA: 10 ppm	STEL: 20 ppm			
Chemical name		A: 25 mg/m³ Portugal	TWA: 25 mg/m ³ Romania	STEL: 50 mg/m ³ Slovakia	Sic	venia	Spain
Ethylene glycol		/A: 20 ppm	TWA: 20 ppm	TWA: 20 ppm		20 ppm	TWA: 20 ppm
107-21-1		A: 52 mg/m ³	TWA: 52 mg/m ³	TWA: 52 mg/m ³		52 mg/m ³	TWA: 52 mg/m ³
		EL: 40 ppm	STEL: 40 ppm	*		STEL ppm	STEL: 40 ppm
	STEI	_: 104 mg/m ³	STEL: 104 mg/m ³	Ceiling: 104 mg/m ³		TEL mg/m ³	STEL: 104 mg/m ³
		g: 100 mg/m ³	*			*	vía dérmica*
Acetic acid		/A: 10 ppm	TWA: 10 ppm	TWA: 10 ppm		10 ppm	TWA: 10 ppm
64-19-7		A: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 25 mg/m ³		25 mg/m ³	TWA: 25 mg/m ³
		EL: 20 ppm	STEL: 20 ppm	Ceiling: 50 mg/m ³		TEL mg/m ³	STEL: 20 ppm
Chemical name	SIE	L: 50 mg/m ³	STEL: 50 mg/m³	Switzerland	SIEL	STEL ppm	STEL: 50 mg/m ³
Ethylene glycol			weden : 10 ppm	TWA: 10 ppm			ted Kingdom 'A: 10 mg/m ³
107-21-1			25 mg/m ³	TWA: 10 ppm		1	VA: 20 ppm
			KGV: 40 ppm	STEL: 20 ppm			'A: 52 mg/m ³
			GV: 104 mg/m ³	STEL: 52 mg/m		ST	EL: 40 ppm
			*	H*			L: 104 mg/m ³
						STE	EL: 30 mg/m ³
Δ		.	/ ₂	T\A/A 40			Sk*
Acetic acid 64-19-7			/: 5 ppm	TWA: 10 ppm			VA: 10 ppm
04-19-7			13 mg/m ³ KGV: 10 ppm	TWA: 25 mg/m STEL: 20 ppm			'A: 25 mg/m³ 'EL: 20 ppm
			KGV: 10 ppm KGV: 25 mg/m ³	STEL: 20 ppm			EL: 50 mg/m ³

Revision date 04-17-2025

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearanceaqueous solutionColourcolourlessOdourSlight. Pungent.

Odour threshold

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperature398None knownDecomposition temperatureNone known

pH
 pH (as aqueous solution)
 No data available
 No data available
 No information available

No data available None known Kinematic viscosity **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known

Relative density

Bulk density

No data available

No data available

No data available

None known

Revision date 04-17-2025

Relative vapour density Particle characteristics

Particle Size Particle Size Distribution None known

9.2. Other information

9.2.1. Information with regards to physical hazard classes Not applicable

No data available

9.2.2. Other safety characteristics

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eve contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) 960.60 mg/kg
ATEmix (dermal) 6,266.70 mg/kg
ATEmix (inhalation-dust/mist) 7.17 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 53.08 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 53.08 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat)6 h
Acetic acid	= 3310 mg/kg (Rat)	= 1060 mg/kg(Rabbit)	= 11.4 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethylene glycol	EC50: 6500 - 13000mg/L	LC50: 14 - 18mL/L (96h,	-	EC50: =46300mg/L (48h,
	(96h, Pseudokirchneriella	Oncorhynchus mykiss)		Daphnia magna)
	subcapitata)	LC50: 40000 -		
		60000mg/L (96h,		
		Pimephales promelas)		
		LC50: =16000mg/L (96h,		
		Poecilia reticulata)		
		LC50: =27540mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =40761mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =41000mg/L (96h,		
		Oncorhynchus mykiss)		
Acetic acid	-	LC50: =75mg/L (96h,	-	EC50: =65mg/L (48h,
		Lepomis macrochirus)		Daphnia magna)
		LC50: =79mg/L (96h,		
		Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethylene glycol	-1.36
Acetic acid	-0.17

12.4. Mobility in soil

Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
Acetic acid	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

1/	<u>4</u>	<u> I A</u>		
1	4	1	ī	ı

14.1 UN number or ID number Not regulated

14.2 14.3 Transport hazard class(es)

Not regulated Not regulated

14.4 Packing group

Not applicable

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

None

IMDG

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Marine pollutant

14.6 Special precautions for user

None

Special Provisions

14.7 Maritime transport in bulk

according to IMO instruments

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions None

ADR

14.1 UN number or ID number Not regulated

14.2

Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions

None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Ethylene glycol	RG 84	-
107-21-1		

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Acetic acid - 64-19-7	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

International Inventories

TSCA Complies DSL/NDSL Complies

EINECS/ELINCS

ENCS
Does not comply
IECSC
Does not comply
KECL
Does not comply
PICCS
Does not comply
Does not comply
AICS
Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 04-17-2025

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

POL10TH2 - Total Hardness No.2 Liquid

Revision date 04-17-2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet